



Windows PowerShell Get-Help on Cmdlet 'New-AzFrontDoorHealthProbeSettingObject'

PS:\>Get-HELP New-AzFrontDoorHealthProbeSettingObject -Full

NAME

New-AzFrontDoorHealthProbeSettingObject

SYNOPSIS

Create a PSHealthProbeSetting object for Front Door creation

SYNTAX

```
New-AzFrontDoorHealthProbeSettingObject [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-EnabledState  
{Enabled | Disabled}] [-HealthProbeMethod <System.String>] [-IntervalInSeconds <System.Int32>] -Name  
<System.String> [-Path <System.String>] [-Protocol {Http |  
Https}] [<CommonParameters>]
```

DESCRIPTION

Create a PSHealthProbeSetting object for Front Door creation

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-EnabledState <Microsoft.Azure.Commands.FrontDoor.Models.PSEnabledState>

Whether to enable health probes to be made against backends defined under backendPools. Health probes can only be disabled if there is a single enabled backend in

single enabled backend pool.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-HealthProbeMethod <System.String>

Configures which HTTP method to use to probe the backends defined under backendPools.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-IntervalInSeconds <System.Int32>

The number of seconds between health probes. Default value is 30

Required? false

Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-Name <System.String>

Health probe setting name.

Required? true
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-Path <System.String>

The path to use for the health probe. Default is /

Required? false
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-Protocol <Microsoft.Azure.Commands.FrontDoor.Models.PSProtocol>

Protocol scheme to use for this probe Default value is HTTP

Required? false
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

None

OUTPUTS

Microsoft.Azure.Commands.FrontDoor.Models.PSHealthProbeSetting

NOTES

----- Example 1 -----

```
New-AzFrontDoorHealthProbeSettingObject -Name "healthProbeSetting1"
```

Path : /

Protocol : Http

IntervalInSeconds : 30

ResourceState :

HealthProbeMethod : Head

EnabledState : Enabled

Id :

Name : healthProbeSetting1

Type :

Note: HealthProbeMethod setting is not case sensitive.

Create a PSHealthProbeSetting object for Front Door creation

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.frontdoor/new-azfrontdoorhealthprobesettingobject>

New-AzFrontDoor

Set-AzFrontDoor