



**Full credit is given to all the above companies including the Operating System that this PDF file was generated!**

### ***Windows PowerShell Get-Help on Cmdlet 'New-AzIntegrationAccountPartner'***

**PS:\>Get-HELP New-AzIntegrationAccountPartner -Full**

#### **NAME**

New-AzIntegrationAccountPartner

#### **SYNOPSIS**

Creates an integration account partner.

#### **SYNTAX**

```
New-AzIntegrationAccountPartner -BusinessIdentities <System.Object> [-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Metadata <System.Object>] -Name <System.String> -PartnerName <System.String> [-PartnerType {B2B}] -ResourceGroupName <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]
```

#### **DESCRIPTION**

The New-AzIntegrationAccountPartner cmdlet creates an integration account partner. This cmdlet returns an object that represents the integration account partner.

Specify the integration account name, resource group name, partner name, and partner identities. Template parameter file values that you specify at the command line

take precedence over template parameter values in a template parameter object. This module supports dynamic parameters. To use a dynamic parameter, type it in the command. To discover the names of dynamic parameters, type a hyphen (-) after the cmdlet name, and then press the Tab key repeatedly to cycle through the available parameters. If you omit a required template parameter, the cmdlet prompts you for the value.

## PARAMETERS

### -BusinessIdentities <System.Object>

Specifies business identities for the integration account partner. It is a nested array, with inner arrays containing the Qualifier as the first object/string and the Value as the second object/string.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

### -DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

### -Metadata <System.Object>

Specifies a metadata object for the partner.

Required? false

Position? named

Default value        None

Accept pipeline input?    False

Accept wildcard characters? false

#### -Name <System.String>

Specifies the name of an integration account.

Required?        true

Position?        named

Default value        None

Accept pipeline input?    True (ByPropertyName)

Accept wildcard characters? false

#### -PartnerName <System.String>

Specifies a name for the integration account partner.

Required?        true

Position?        named

Default value        None

Accept pipeline input?    True (ByPropertyName)

Accept wildcard characters? false

#### -PartnerType <System.String>

Specifies the type of the integration account. This parameter supports the type B2B.

Required?        false

Position?        named

Default value        None

Accept pipeline input?    False

Accept wildcard characters? false

#### -ResourceGroupName <System.String>

Specifies the name of a resource group.

Required? true  
Position? named  
Default value None  
Accept pipeline input? True (ByPropertyName)  
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false  
Position? named  
Default value False  
Accept pipeline input? False  
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false  
Position? named  
Default value False  
Accept pipeline input? False  
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

## INPUTS

System.String

## OUTPUTS

Microsoft.Azure.Management.Logic.Models.IntegrationAccountPartner

## NOTES

----- Example 1: Create an integration account partner -----

```
$BusinessIdentities = @("ZZ", "AA"), @("XX", "GG")
```

```
New-AzIntegrationAccountPartner -ResourceGroupName "ResourceGroup11" -Name "IntegrationAccount31"  
-PartnerName "IntegrationAccountPartner22" -PartnerType "B2B"  
-BusinessIdentities $BusinessIdentities
```

Id :

/subscriptions/<SubscriptionId>/resourceGroups/ResourceGroup11/providers/Microsoft.Logic/integrationAccounts/integrationAccount31/partners/integrationAccountPartner22

Name : IntegrationAccountPartner22

Type : Microsoft.Logic/integrationAccounts/partners

PartnerType : B2B

CreatedTime : 3/26/2016 7:29:30 PM

ChangedTime : 3/26/2016 7:29:30 PM

BusinessIdentities : [{"Qualifier": "ZZ", "Value": "AA"}, {"Qualifier": "XX", "Value": "GG"}]

Metadata :

group.

## RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.logicapp/new-azintegrationaccountpartner>

[Get-AzIntegrationAccountPartner](#)

[Remove-AzIntegrationAccountPartner](#)

[Set-AzIntegrationAccountPartner](#)