



Windows PowerShell Get-Help on Cmdlet 'New-AzIotSecuritySolutionRecommendationConfigurationObject'

PS:\>Get-HELP New-AzIotSecuritySolutionRecommendationConfigurationObject -Full

NAME

New-AzIotSecuritySolutionRecommendationConfigurationObject

SYNOPSIS

Create new recommendation configuration for iot security solution

SYNTAX

```
New-AzIotSecuritySolutionRecommendationConfigurationObject [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>  
-Enabled <System.Boolean> -RecommendationType <System.String> [<CommonParameters>]
```

DESCRIPTION

The AzIotSecuritySolutionRecommendationConfigurationObject creates a new recommendation configuration object for iot security solution. This way the status of a recommendation is configured, whether it is enabled or disabled.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Enabled <System.Boolean>

Status .

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-RecommendationType <System.String>

Recommendation type.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

None

OUTPUTS

Microsoft.Azure.Commands.Security.Models.IotSecuritySolutions.PSRecommendationConfiguration

NOTES

----- Example 1 -----

```
New-AzIotSecuritySolutionRecommendationConfigurationObject -RecommendationType "IoT_ACRAuthentication"  
-Enabled $false
```

RecommendationType: "IoT_ACRAuthentication"

Name: "Service principal not used with ACR repository"

Status: "Disabled"

Create new recommendation configuration for recommendation type "IoT_ACRAuthentication" with status set to disable

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.security/New-AzIotSecuritySolutionRecommendationConfigurationObject>

