



Windows PowerShell Get-Help on Cmdlet 'New-AzIpConfigurationBgpPeeringAddressObject'

PS:\>Get-HELP New-AzIpConfigurationBgpPeeringAddressObject -Full

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

NAME

New-AzIpConfigurationBgpPeeringAddressObject

SYNOPSIS

creates a new IpconfigurationBgpPeeringAddressObject

SYNTAX

```
New-AzIpConfigurationBgpPeeringAddressObject -CustomAddress <System.Collections.Generic.List`1[System.String]>
[-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -IpConfigurationId
<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The New-AzIpConfigurationBgpPeeringAddressObject creates a IpConfigurationBgpPeeringAddressObject object which

represents BgpPeeringAddresses property in your virtual network gateway bgpsettings.

PARAMETERS

-CustomAddress <System.Collections.Generic.List`1[System.String]>

The virtual network gateway CustomAddress List for BgpPeeringAddresses.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-IpConfigurationId <System.String>

The virtual network gateway IpConfigurationId for BgpPeeringAddresses.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

None

OUTPUTS

Microsoft.Azure.Commands.Network.Models.PSIpConfigurationBgpPeeringAddress

NOTES

- Example 1: Create a AzIpConfigurationBgpPeeringAddressObject -

\$ipconfigurationId1 =

'/subscriptions/c886bc58-0000-4e01-993f-e01ba3702aaf/resourceGroups/testRg/providers/Microsoft.Network/virtualNetworkGateways/gw1/ipConfigurations/default'

\$addresslist1 = @('169.254.21.5')

\$gw1ipconfBgp1 = New-AzIpConfigurationBgpPeeringAddressObject -IpConfigurationId \$ipconfigurationId1

-CustomAddress \$addresslist1

The above will create a IpConfigurationBgpPeeringAddressObject. This new object will be to gw1ipconfBgp1.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.network/new-azipconfigurationbgppeeringaddressobject>