



Windows PowerShell Get-Help on Cmdlet 'New-AzKeyVaultCertificateOrganizationDetail'

PS:\>Get-HELP New-AzKeyVaultCertificateOrganizationDetail -Full

NAME

New-AzKeyVaultCertificateOrganizationDetail

SYNOPSIS

Creates an in-memory certificate organization details object.

SYNTAX

New-AzKeyVaultCertificateOrganizationDetail [-AdministratorDetails

<System.Collections.Generic.List`1[Microsoft.Azure.Commands.KeyVault.Models.PSKeyVaultCertificateAdministratorDetails]>] [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Id <System.String>]
[-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

The New-AzKeyVaultCertificateOrganizationDetail cmdlet creates an in-memory certificate organization details object.

PARAMETERS

-AdministratorDetails

<System.Collections.Generic.List`1[Microsoft.Azure.Commands.KeyVault.Models.PSKeyVaultCertificateAdministratorDetails]>

Specifies the certificate organization administrators.

Required? false

Position? named

Default value None

Accept pipeline input? True (ByPropertyName, ByValue)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Id <System.String>

Specifies the identifier for the organization.

Required? false

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

System.String

System.Collections.Generic.List`1[[Microsoft.Azure.Commands.KeyVault.Models.PSKeyVaultCertificateAdministratorDetails, Microsoft.Azure.PowerShell.Cmdlets.KeyVault, Version=1.0.0.0, Culture=neutral, PublicKeyToken=null]]

OUTPUTS

NOTES

----- Example 1: Create an organization details object -----

```
$AdminDetails = New-AzKeyVaultCertificateAdministratorDetail -FirstName "Patti" -LastName "Fuller" -EmailAddress  
"Patti.Fuller@contoso.com" -PhoneNumber "1234567890"
```

```
New-AzKeyVaultCertificateOrganizationDetail -AdministratorDetails $AdminDetails
```

Id AdministratorDetails

-- -----

```
{Patti}
```

The first command creates a certificate administrator details object, and then stores it in the \$AdminDetails variable. The second command creates a certificate

organization details object, and then stores it in the \$OrgDetails variable.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.keyvault/new-azkeyvaultcertificateorganizationdetail>

New-AzKeyVaultCertificateAdministratorDetail