



Windows PowerShell Get-Help on Cmdlet 'New-AzKustoAttachedDatabaseConfiguration'

PS:\>Get-HELP New-AzKustoAttachedDatabaseConfiguration -Full

NAME

New-AzKustoAttachedDatabaseConfiguration

SYNOPSIS

Creates or updates an attached database configuration.

SYNTAX

```
New-AzKustoAttachedDatabaseConfiguration -ClusterName <String> -Name <String> -ResourceGroupName <String>
[-SubscriptionId <String>] [-ClusterResourceId <String>]
    [-DatabaseName <String>] [-DatabaseNameOverride <String>] [-DatabaseNamePrefix <String>]
[-DefaultPrincipalsModificationKind <DefaultPrincipalsModificationKind>]
    [-Location <String>] [-TableLevelSharingPropertyExternalTablesToExclude <String[]>]
[-TableLevelSharingPropertyExternalTablesToInclude <String[]>]
    [-TableLevelSharingPropertyFunctionsToExclude <String[]>] [-TableLevelSharingPropertyFunctionsToInclude <String[]>]
    [-TableLevelSharingPropertyMaterializedViewsToExclude <String[]>]
[-TableLevelSharingPropertyMaterializedViewsToInclude <String[]>]
    [-TableLevelSharingPropertyTablesToExclude <String[]>] [-TableLevelSharingPropertyTablesToInclude <String[]>]
[-DefaultProfile <PSObject>] [-AsJob] [-Break]
    [-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend <SendAsyncStep[]>] [-NoWait] [-Proxy <Uri>]
```

[-ProxyCredential <PSCredential>]

[-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm] [<CommonParameters>]

DESCRIPTION

Creates or updates an attached database configuration.

PARAMETERS

-ClusterName <String>

The name of the Kusto cluster.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Name <String>

The name of the attached database configuration.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ResourceGroupName <String>

The name of the resource group.

The name is case insensitive.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-SubscriptionId <String>

The ID of the target subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ClusterResourceId <String>

The resource id of the cluster where the databases you would like to attach reside.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-DatabaseName <String>

The name of the database which you would like to attach, use * if you want to follow all current and future databases.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-DatabaseNameOverride <String>

Overrides the original database name.

Relevant only when attaching to a specific database.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-DatabaseNamePrefix <String>

Adds a prefix to the attached databases name.

When following an entire cluster, that prefix would be added to all of the databases original names from leader cluster.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-DefaultPrincipalsModificationKind <DefaultPrincipalsModificationKind>

The default principals modification kind

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Location <String>

Resource location.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-TableLevelSharingPropertyExternalTablesToExclude <String[]>

List of external tables to exclude from the follower database

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-TableLevelSharingPropertyExternalTablesToInclude <String[]>

List of external tables to include in the follower database

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-TableLevelSharingPropertyFunctionsToExclude <String[]>

List of functions to exclude from the follower database

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-TableLevelSharingPropertyFunctionsToInclude <String[]>

List of functions to include in the follower database

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-TableLevelSharingPropertyMaterializedViewsToExclude <String[]>

List of materialized views to exclude from the follower database

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-TableLevelSharingPropertyMaterializedViewsToInclude <String[]>

List of materialized views to include in the follower database

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-TableLevelSharingPropertyTablesToExclude <String[]>

List of tables to exclude from the follower database

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-TableLevelSharingPropertyTablesToInclude <String[]>

List of tables to include in the follower database

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-DefaultProfile <PSObject>

The DefaultProfile parameter is not functional.

Use the SubscriptionId parameter when available if executing the cmdlet against a different subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-AsJob [<SwitchParameter>]

Run the command as a job

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-Break [<SwitchParameter>]

Wait for .NET debugger to attach

Required? false

Position? named

Default value False
Accept pipeline input? false
Accept wildcard characters? false

-HttpPipelineAppend <SendAsyncStep[]>

SendAsync Pipeline Steps to be appended to the front of the pipeline

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-HttpPipelinePrepend <SendAsyncStep[]>

SendAsync Pipeline Steps to be prepended to the front of the pipeline

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-NoWait [<SwitchParameter>]

Run the command asynchronously

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-Proxy <Uri>

The URI for the proxy server to use

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-ProxyCredential <PSCredential>

Credentials for a proxy server to use for the remote call

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-ProxyUseDefaultCredentials [<SwitchParameter>]

Use the default credentials for the proxy

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-WhatIf [<SwitchParameter>]

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.Kusto.Models.Api20230815.IAttachedDatabaseConfiguration

----- EXAMPLE 1 -----

```
PS C:\>New-AzKustoAttachedDatabaseConfiguration -ResourceGroupName "testrg" -ClusterName
"testnewkustoclusterf" -Name "myfollowerconfiguration" -Location "East US"
                                           -ClusterResourceId
"/subscriptions/$subscriptionId/resourcegroups/testrg/providers/Microsoft.Kusto/Clusters/testnewkustocluster"
-DatabaseName "mykustodatabase"
-DefaultPrincipalsModificationKind "Union"
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.kusto/new-azkustoattacheddatabaseconfiguration>