



Windows PowerShell Get-Help on Cmdlet 'New-AzKustoManagedPrivateEndpoint'

PS: \>Get-HELP New-AzKustoManagedPrivateEndpoint -Full

NAME

New-AzKustoManagedPrivateEndpoint

SYNOPSIS

Creates a managed private endpoint.

SYNTAX

```
New-AzKustoManagedPrivateEndpoint -ClusterName <String> -Name <String> -ResourceGroupName <String>
[-SubscriptionId <String>] [-GroupId <String>]
[-PrivateLinkResourceId <String>] [-PrivateLinkResourceRegion <String>] [-RequestMessage <String>] [-DefaultProfile
<PSObject>] [-AsJob] [-Break] [-HttpPipelineAppend
<SendAsyncStep[]>] [-HttpPipelinePrepend <SendAsyncStep[]>] [-NoWait] [-Proxy <Uri>] [-ProxyCredential
<PSCredential>] [-ProxyUseDefaultCredentials] [-WhatIf]
[-Confirm] [<CommonParameters>]
```

```
New-AzKustoManagedPrivateEndpoint -ClusterName <String> -Name <String> -ResourceGroupName <String>
[-SubscriptionId <String>] -Parameter <IManagedPrivateEndpoint>
[-DefaultProfile <PSObject>] [-AsJob] [-Break] [-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend
<SendAsyncStep[]>] [-NoWait] [-Proxy <Uri>]
```

[-ProxyCredential <PSCredential>] [-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm] [<CommonParameters>]

DESCRIPTION

Creates a managed private endpoint.

PARAMETERS

-ClusterName <String>

The name of the Kusto cluster.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Name <String>

The name of the managed private endpoint.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ResourceGroupName <String>

The name of the resource group.

The name is case insensitive.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-SubscriptionId <String>

The ID of the target subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Parameter <IManagedPrivateEndpoint>

Class representing a managed private endpoint.

To construct, see NOTES section for PARAMETER properties and create a hash table.

Required? true

Position? named

Default value

Accept pipeline input? true (ByValue)

Accept wildcard characters? false

-GroupId <String>

The groupId in which the managed private endpoint is created.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-PrivateLinkResourceId <String>

The ARM resource ID of the resource for which the managed private endpoint is created.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-PrivateLinkResourceRegion <String>

The region of the resource to which the managed private endpoint is created.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-RequestMessage <String>

The user request message.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-DefaultProfile <PSObject>

The DefaultProfile parameter is not functional.

Use the SubscriptionId parameter when available if executing the cmdlet against a different subscription.

Required? false
Position? named
Default value
Accept pipeline input? false

Accept wildcard characters? false

-AsJob [<SwitchParameter>]

Run the command as a job

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-Break [<SwitchParameter>]

Wait for .NET debugger to attach

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelineAppend <SendAsyncStep[]>

SendAsync Pipeline Steps to be appended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelinePrepend <SendAsyncStep[]>

SendAsync Pipeline Steps to be prepended to the front of the pipeline

Required? false

Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-NoWait [<SwitchParameter>]

Run the command asynchronously

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-Proxy <Uri>

The URI for the proxy server to use

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-ProxyCredential <PSCredential>

Credentials for a proxy server to use for the remote call

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-ProxyUseDefaultCredentials [<SwitchParameter>]

Use the default credentials for the proxy

Required?	false
Position?	named
Default value	False
Accept pipeline input?	false
Accept wildcard characters?	false

-WhatIf [<SwitchParameter>]

Required?	false
Position?	named
Default value	
Accept pipeline input?	false
Accept wildcard characters?	false

-Confirm [<SwitchParameter>]

Required?	false
Position?	named
Default value	
Accept pipeline input?	false
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

Microsoft.Azure.PowerShell.Cmdlets.Kusto.Models.Api20230815.IManagedPrivateEndpoint

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.Kusto.Models.Api20230815.IManagedPrivateEndpoint

NOTES

COMPLEX PARAMETER PROPERTIES

To create the parameters described below, construct a hash table containing the appropriate properties. For information on hash tables, run Get-Help

about_Hash_Tables.

PARAMETER <IManagedPrivateEndpoint>: Class representing a managed private endpoint.

[GroupId <String>]: The groupId in which the managed private endpoint is created.

[PrivateLinkResourceId <String>]: The ARM resource ID of the resource for which the managed private endpoint is created.

[PrivateLinkResourceRegion <String>]: The region of the resource to which the managed private endpoint is created.

[RequestMessage <String>]: The user request message.

[SystemDataCreatedAt <DateTime?>]: The timestamp of resource creation (UTC).

[SystemDataCreatedBy <String>]: The identity that created the resource.

[SystemDataCreatedByType <CreatedByType?>]: The type of identity that created the resource.

[SystemDataLastModifiedAt <DateTime?>]: The timestamp of resource last modification (UTC)

[SystemDataLastModifiedBy <String>]: The identity that last modified the resource.

[SystemDataLastModifiedByType <CreatedByType?>]: The type of identity that last modified the resource.

----- EXAMPLE 1 -----

```
PS C:\>New-AzKustoManagedPrivateEndpoint -ClusterName "mycluster" -ResourceGroupName "testrg" -Name
"ManagedPrivateEndpointName" -GroupId "namespace" -RequestMessage
"Please approve" -PrivateLinkResourceRegion "Australia Central" -PrivateLinkResourceId
```

"/subscriptions/12345678-1234-1234-1234-123456789098/resourceGroups/testrg/providers/Microsoft.EventHub/namespaces/testclientsns22"

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.kusto/new-azkustomanagedprivateendpoint>