



Windows PowerShell Get-Help on Cmdlet 'New-AzMLWorkspaceDataLakeAnalyticsObject'

PS:\>Get-HELP New-AzMLWorkspaceDataLakeAnalyticsObject -Full

NAME

New-AzMLWorkspaceDataLakeAnalyticsObject

SYNOPSIS

Create an in-memory object for DataLakeAnalytics.

SYNTAX

```
New-AzMLWorkspaceDataLakeAnalyticsObject [-Description <String>] [-DisableLocalAuth <Boolean>] [-ResourceId  
<String>] [-DataLakeStoreAccountName <String>]  
[<CommonParameters>]
```

DESCRIPTION

Create an in-memory object for DataLakeAnalytics.

PARAMETERS

-Description <String>

The description of the Machine Learning compute.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-DisableLocalAuth <Boolean>

Opt-out of local authentication and ensure customers can use only MSI and AAD exclusively for authentication.

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-ResourceId <String>

ARM resource id of the underlying compute.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-DataLakeStoreAccountName <String>

DataLake Store Account Name.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.MachineLearningServices.Models.Api20220501.DataLakeAnalytics

----- EXAMPLE 1 -----

PS C:\>New-AzMLWorkspaceDataLakeAnalyticsObject

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.MLWorkspace/new-AzMLWorkspaceDataLakeAnalyticsObject>