



Windows PowerShell Get-Help on Cmdlet 'New-AzNginxCertificate'

PS:\>Get-HELP New-AzNginxCertificate -Full

NAME

New-AzNginxCertificate

SYNOPSIS

Create or update the NGINX certificates for given NGINX deployment

SYNTAX

```
New-AzNginxCertificate -DeploymentName <String> -Name <String> -ResourceGroupName <String> [-SubscriptionId  
<String>] -CertificateVirtualPath <String>  
-KeyVaultSecretId <String> -KeyVirtualPath <String> [-Location <String>] [-DefaultProfile <PSObject>] [-AsJob] [-Break]  
[-HttpPipelineAppend <SendAsyncStep[]>]  
[-HttpPipelinePrepend <SendAsyncStep[]>] [-NoWait] [-Proxy <Uri>] [-ProxyCredential <PSCredential>]  
[-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm]  
[<CommonParameters>]
```

DESCRIPTION

Create or update the NGINX certificates for given NGINX deployment

PARAMETERS

-DeploymentName <String>

The name of targeted NGINX deployment

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Name <String>

The name of certificate

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ResourceGroupName <String>

The name of the resource group.

The name is case insensitive.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-SubscriptionId <String>

The ID of the target subscription.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-CertificateVirtualPath <String>

.

Required? true
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-KeyVaultSecretId <String>

.

Required? true
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-KeyVirtualPath <String>

.

Required? true
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-Location <String>

.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-DefaultProfile <PSObject>

The DefaultProfile parameter is not functional.

Use the SubscriptionId parameter when available if executing the cmdlet against a different subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-AsJob [<SwitchParameter>]

Run the command as a job

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-Break [<SwitchParameter>]

Wait for .NET debugger to attach

Required? false

Position? named

Default value False
Accept pipeline input? false
Accept wildcard characters? false

-HttpPipelineAppend <SendAsyncStep[]>

SendAsync Pipeline Steps to be appended to the front of the pipeline

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-HttpPipelinePrepend <SendAsyncStep[]>

SendAsync Pipeline Steps to be prepended to the front of the pipeline

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-NoWait [<SwitchParameter>]

Run the command asynchronously

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-Proxy <Uri>

The URI for the proxy server to use

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-ProxyCredential <PSCredential>

Credentials for a proxy server to use for the remote call

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-ProxyUseDefaultCredentials [<SwitchParameter>]

Use the default credentials for the proxy

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-WhatIf [<SwitchParameter>]

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.Nginx.Models.Api20230401.INginxCertificate

----- EXAMPLE 1 -----

```
PS C:\>New-AzNginxCertificate -DeploymentName nginx-test -Name cert-test -ResourceGroupName nginx-test-rg  
-CertificateVirtualPath /etc/nginx/test.cert -KeyVirtualPath  
/etc/nginx/test.key -KeyVaultSecretId https://tests-kv.vault.azure.net/secrets/newcert
```

