



**Full credit is given to all the above companies including the Operating System that this PDF file was generated!**

### ***Windows PowerShell Get-Help on Cmdlet 'New-AzPrivateEndpointIpConfiguration'***

**PS:\>Get-HELP New-AzPrivateEndpointIpConfiguration -Full**

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

#### **NAME**

New-AzPrivateEndpointIpConfiguration

#### **SYNOPSIS**

Creates an IpConfiguration object for private endpoint.

#### **SYNTAX**

New-AzPrivateEndpointIpConfiguration

[-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-GroupId

<System.String>] [-MemberName <System.String>] -Name <System.String> -PrivateIpAddress <System.String>

[<CommonParameters>]

#### **DESCRIPTION**

The New-AzPrivateEndpointIpConfiguration cmdlet creates an IpConfiguration object for private endpoint.

Page 1/4

## PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-GroupId <System.String>

The ID of a group that the private endpoint connects to.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-MemberName <System.String>

The member name of a group that the private endpoint connects to.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

The name of the private endpoint IP configuration.

Required? true  
Position? named  
Default value None  
Accept pipeline input? False  
Accept wildcard characters? false

#### -PrivateIpAddress <System.String>

The private ip address of the private endpoint's subnet.

Required? true  
Position? named  
Default value None  
Accept pipeline input? False  
Accept wildcard characters? false

#### <CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

## INPUTS

None

## OUTPUTS

Microsoft.Azure.Commands.Network.Models.PSPrivateEndpointIPConfiguration

## NOTES

----- Example 1 -----

```
New-AzPrivateEndpointIpConfiguration -Name "IpConfigurationForPrivateEndpoint" -PrivateIPAddress "10.0.0.10"
```

This example creates an IpConfiguration object used for private endpoint.

#### RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.network/new-azprivateendpointipconfiguration>