



Windows PowerShell Get-Help on Cmdlet 'New-AzRecoveryServicesAsrProtectionContainer'

PS:\>Get-HELP New-AzRecoveryServicesAsrProtectionContainer -Full

NAME

New-AzRecoveryServicesAsrProtectionContainer

SYNOPSIS

Creates an Azure Site Recovery Protection Container within the specified fabric.

SYNTAX

```
New-AzRecoveryServicesAsrProtectionContainer [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -InputObject  
<Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRFabric> -Name <System.String> [-Confirm] [-WhatIf]  
[<CommonParameters>]
```

DESCRIPTION

The New-AzRecoveryServicesAsrProtectionContainer cmdlet creates a Protection Container under the specified Azure Site Recovery Fabric.

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRFabric>

Creates the replication protection container in specified input Object (Azure Fabric).

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Name <System.String>

Name of the protection container.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRFabric

OUTPUTS

Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRJob

NOTES

----- Example 1 -----

```
$job = New-AzRecoveryServicesAsrProtectionContainer -Name xyz -Fabric $fabric  
Get-AzRecoveryServicesAsrJob -name $job.id
```

Starts the creation of the protection container with the specified parameters, and returns the ASR job used to track the operation.

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.recoveryservices/new-azrecoveryservicesasrprotectioncontainer>