



Windows PowerShell Get-Help on Cmdlet 'New-AzRedisCacheAccessPolicy'

PS: \>Get-HELP New-AzRedisCacheAccessPolicy -Full

NAME

New-AzRedisCacheAccessPolicy

SYNOPSIS

Add an Access Policy to the Redis Cache

SYNTAX

```
New-AzRedisCacheAccessPolicy -AccessPolicyName <System.String> [-DefaultProfile  
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Name  
<System.String> -Permission <System.String> [-ResourceGroupName  
    <System.String>] [-Confirm] [-WhatIf] [<CommonParameters>]
```



```
New-AzRedisCacheAccessPolicy -AccessPolicyName <System.String> [-DefaultProfile  
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Permission  
<System.String> -TopLevelResourceObject  
    <Microsoft.Azure.Commands.RedisCache.Models.RedisCacheAttributes> [-Confirm] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

Create an access policy for a Redis Cache.

PARAMETERS

-AccessPolicyName <System.String>

The name of the access policy that is being added to the Redis cache.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

Name of redis cache.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Permission <System.String>

Permissions for the access policy. Learn how to configure permissions at <https://aka.ms/redis/AADPreReqs>

Required? true
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ResourceGroupName <System.String>

Name of resource group under which cache exists.

Required? false
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-TopLevelResourceObject <Microsoft.Azure.Commands.RedisCache.Models.RedisCacheAttributes>

Object of type RedisCacheAttributes

Required? true
Position? named
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.RedisCache.Models.RedisCacheAttributes

OUTPUTS

Microsoft.Azure.Commands.RedisCache.Models.PSRedisAccessPolicy

NOTES

----- Example 1: Create an access policy -----

```
New-AzRedisCacheAccessPolicy -Name "testCache" -AccessPolicyName "testAccessPolicy" -Permission "+get +hget"
```

This command creates access policy named testAccessPolicy on Redis Cache named testCache.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.redis/cache/new-azredis-cache-access-policy>