



Windows PowerShell Get-Help on Cmdlet 'New-AzRedisCacheAccessPolicyAssignment'

PS:\>Get-HELP New-AzRedisCacheAccessPolicyAssignment -Full

NAME

New-AzRedisCacheAccessPolicyAssignment

SYNOPSIS

Add an Access Policy Assignment (Redis User) to the Redis Cache

SYNTAX

```
New-AzRedisCacheAccessPolicyAssignment -AccessPolicyAssignmentName <System.String> -AccessPolicyName
<System.String> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Name
<System.String> -ObjectId <System.String> -ObjectIdAlias
    <System.String> [-ResourceGroupName <System.String>] [-Confirm] [-WhatIf] [<CommonParameters>]
```

```
New-AzRedisCacheAccessPolicyAssignment -AccessPolicyAssignmentName <System.String> -AccessPolicyName
<System.String> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -ObjectId
<System.String> -ObjectIdAlias <System.String>
    -TopLevelResourceObject <Microsoft.Azure.Commands.RedisCache.Models.RedisCacheAttributes> [-Confirm] [-WhatIf]
[<CommonParameters>]
```

DESCRIPTION

Create an access policy assignment (redis user) for a Redis Cache.

PARAMETERS

-AccessPolicyAssignmentName <System.String>

Name of Access Policy Assignment being added to the cache.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-AccessPolicyName <System.String>

Name of Access Policy.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

Name of redis cache.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ObjectId <System.String>

Name of Object Id.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ObjectIdAlias <System.String>

Name of Object Id Alias.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

Name of resource group under which cache exists.

Required? false

Position? named

Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-TopLevelResourceObject <Microsoft.Azure.Commands.RedisCache.Models.RedisCacheAttributes>

Object of type RedisCacheAttributes

Required? true
Position? named
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,
OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.RedisCache.Models.RedisCacheAttributes

OUTPUTS

Microsoft.Azure.Commands.RedisCache.Models.PSRedisAccessPolicyAssignment

NOTES

----- Example 1 -----

```
New-AzRedisCacheAccessPolicyAssignment -Name "testCache" -AccessPolicyAssignmentName  
"testAccessPolicyAssignmentName" -AccessPolicyName "testAccessPolicyName"  
-ObjectId "69d700c5-ca77-4335-947e-xxxxxxxxxxxx" -ObjectIdAlias "testAlias"
```

This command creates access policy assignment (redis user) named testAccessPolicyAssignmentName on Redis Cache
named testCache.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.rediscache/new-azrediscacheaccesspolicyassignment>