



Windows PowerShell Get-Help on Cmdlet 'New-AzRedisCacheLink'

PS:\>Get-HELP New-AzRedisCacheLink -Full

NAME

New-AzRedisCacheLink

SYNOPSIS

Create a geo replication link between two Redis Caches.

SYNTAX

```

New-AzRedisCacheLink [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -PrimaryServerName
<System.String>
-SecondaryServerName <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

```

DESCRIPTION

Create a geo replication link between two Redis Caches.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-PrimaryServerName <System.String>

Name of primary redis cache in link.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-SecondaryServerName <System.String>

Name of secondary redis cache in link.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

OUTPUTS

Microsoft.Azure.Commands.RedisCache.Models.PSRedisLinkedServer

NOTES

New-AzRedisCacheLink -PrimaryServerName "mycache1" -SecondaryServerName "mycache2"

PrimaryServerName : mycache1
SecondaryServerName : mycache2
ProvisioningState : Creating
LinkedRedisCacheLocation : East US
ServerRole : Secondary
PrimaryHostName : mycache1.redis.cache.windows.net
GeoReplicatedPrimaryHostName : mycache2.geo.redis.cache.windows.net

This command creates geo-replication link between Redis Cache mycache1 and mycache2.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.rediscache/new-azrediscachelink>

Get-AzRedisCacheLink

Remove-AzRedisCacheLink

Get-AzRedisCache

New-AzRedisCache

Remove-AzRedisCache

Set-AzRedisCache