



Windows PowerShell Get-Help on Cmdlet 'New-AzRestorePoint'

PS:\>Get-HELP New-AzRestorePoint -Full

NAME

New-AzRestorePoint

SYNOPSIS

This cmdlet can create a New Restore Point

SYNTAX

```
New-AzRestorePoint [-ResourceGroupName] <System.String> [-Name] <System.String> [-RestorePointCollectionName]
<System.String> [[-Location] <System.String>]
                                     [-ConsistencyMode <System.String>] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-DisksToExclude
<System.String[]>] [-RestorePointId <System.String>] [-Confirm] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

Create's a new Restore Point

PARAMETERS

-ConsistencyMode <System.String>

ConsistencyMode of the restore point. Can be specified in the input while creating a restore point. For now, only CrashConsistent is accepted as a valid input.

Please refer to <https://aka.ms/RestorePoints> for more details.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	True (ByValue)
Accept wildcard characters?	false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-DisksToExclude <System.String[]>

List of disk resource Id values that the customer wishes to exclude from the restore point. If no disks are specified, all disks will be included.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	True (ByValue)
Accept wildcard characters?	false

-Location <System.String>

Set the region of the restore point

Required? false
Position? 3
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-Name <System.String>

The name of the restore point

Required? true
Position? 1
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-ResourceGroupName <System.String>

Resource group name this resource belongs to

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-RestorePointCollectionName <System.String>

Name of the restore point collection this restore point is part of

Required? true
Position? 1
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-RestorePointId <System.String>

ARM Id of the source restore point

Required? false

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

System.String[]

OUTPUTS

Microsoft.Azure.Commands.Compute.Automation.Models.PSRestorePoint

NOTES

----- Example 1 -----

```
New-AzRestorePoint -ResourceGroupName "myRG" -RestorePointCollectionName "myCollection" -Name  
"myRestorePoint" -ConsistencyMode "CrashConsistent"
```

Creates a new Restore Point

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.compute/new-azrestorepoint>