



Windows PowerShell Get-Help on Cmdlet 'New-AzSecurityDefenderForDatabasesAwsOfferingObject'

PS:\>Get-HELP New-AzSecurityDefenderForDatabasesAwsOfferingObject -Full

NAME

New-AzSecurityDefenderForDatabasesAwsOfferingObject

SYNOPSIS

Create an in-memory object for DefenderForDatabasesAwsOffering.

SYNTAX

```
New-AzSecurityDefenderForDatabasesAwsOfferingObject [-ArcAutoProvisioningCloudRoleArn <String>]
[-ArcAutoProvisioningEnabled <Boolean>]
[-ConfigurationPrivateLinkScope <String>] [-ConfigurationProxy <String>] [-DatabaseDspmCloudRoleArn <String>]
[-DatabaseDspmEnabled <Boolean>] [-RdCloudRoleArn
<String>] [-RdEnabled <Boolean>] [<CommonParameters>]
```

DESCRIPTION

Create an in-memory object for DefenderForDatabasesAwsOffering.

-ArcAutoProvisioningCloudRoleArn <String>

The cloud role ARN in AWS for this feature.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ArcAutoProvisioningEnabled <Boolean>

Is arc auto provisioning enabled.

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-ConfigurationPrivateLinkScope <String>

Optional Arc private link scope resource id to link the Arc agent.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ConfigurationProxy <String>

Optional http proxy endpoint to use for the Arc agent.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-DatabaseDspmCloudRoleArn <String>

The cloud role ARN in AWS for this feature.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-DatabaseDspmEnabled <Boolean>

Is databases data security posture management (DSPM) protection enabled.

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-RdCloudRoleArn <String>

The cloud role ARN in AWS for this feature.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-RdEnabled <Boolean>

Is RDS protection enabled.

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.Security.Models.DefenderForDatabasesAwsOffering

----- EXAMPLE 1 -----

PS C:\>\$arnPrefix = "arn:aws:iam::123456789012:role"

New-AzSecurityDefenderForDatabasesAwsOfferingObject `

-ArcAutoProvisioningEnabled \$true -ArcAutoProvisioningCloudRoleArn

"\$arnPrefix/DefenderForCloud-ArcAutoProvisioning" `

-DatabaseDspmEnabled \$true -DatabaseDspmCloudRoleArn "\$arnPrefix/DefenderForCloud-DataSecurityPostureDB"

RELATED LINKS

<https://learn.microsoft.com/powershell/module/Az.Security/new-azsecuritydefenderfordatabasesaws offeringobject>

