



Windows PowerShell Get-Help on Cmdlet 'New-AzSecurityDefenderForDatabasesGcpOfferingObject'

PS:\>Get-HELP New-AzSecurityDefenderForDatabasesGcpOfferingObject -Full

NAME

New-AzSecurityDefenderForDatabasesGcpOfferingObject

SYNOPSIS

Create an in-memory object for DefenderForDatabasesGcpOffering.

SYNTAX

```
New-AzSecurityDefenderForDatabasesGcpOfferingObject [-ArcAutoProvisioningEnabled <Boolean>]
[-ConfigurationPrivateLinkScope <String>] [-ConfigurationProxy <String>]
[-DefenderForDatabaseArcAutoProvisioningServiceAccountEmailAddress <String>]
[-DefenderForDatabaseArcAutoProvisioningWorkloadIdentityProviderId <String>]
[<CommonParameters>]
```

DESCRIPTION

Create an in-memory object for DefenderForDatabasesGcpOffering.

-ArcAutoProvisioningEnabled <Boolean>

Is arc auto provisioning enabled.

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-ConfigurationPrivateLinkScope <String>

Optional Arc private link scope resource id to link the Arc agent.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ConfigurationProxy <String>

Optional http proxy endpoint to use for the Arc agent.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-DefenderForDatabaseArcAutoProvisioningServiceAccountEmailAddress <String>

The service account email address in GCP for this offering.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-DefenderForDatabaseArcAutoProvisioningWorkloadIdentityProviderId <String>

The GCP workload identity provider id for this offering.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see

about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.Security.Models.DefenderForDatabasesGcpOffering

----- EXAMPLE 1 -----

PS C:\>\$emailSuffix = "myproject.iam.gserviceaccount.com"

New-AzSecurityDefenderForDatabasesGcpOfferingObject `

-ArcAutoProvisioningEnabled \$true `

-DefenderForDatabaseArcAutoProvisioningServiceAccountEmailAddress "microsoft-databases-arc-ap@"

-DefenderForDatabaseArcAutoProvisioningWorkloadIdentityProviderId

"defender-for-databases-arc-ap"

RELATED LINKS

<https://learn.microsoft.com/powershell/module/Az.Security/new-azsecuritydefenderfordatabasesgcprofferingobject>