



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'New-AzSentinelAlertRuleAction'

PS:\>Get-HELP New-AzSentinelAlertRuleAction -Full

NAME

New-AzSentinelAlertRuleAction

SYNOPSIS

Creates or updates the action of alert rule.

SYNTAX

```
New-AzSentinelAlertRuleAction -ResourceGroupName <String> -RuleId <String> -WorkspaceName <String> [-Id <String>] [-SubscriptionId <String>] [-LogicAppResourceId <String>] [-TriggerUri <String>] [-DefaultProfile <PSObject>] [-Break] [-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend <SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential <PSCredential>] [-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm] [<CommonParameters>]
```

DESCRIPTION

Creates or updates the action of alert rule.

PARAMETERS

-ResourceGroupName <String>

The name of the resource group.

The name is case insensitive.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-RuleId <String>

Alert rule ID

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-WorkspaceName <String>

The name of the workspace.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Id <String>

Action ID

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-SubscriptionId <String>

The ID of the target subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-LogicAppResourceId <String>

Logic App Resource Id,

/subscriptions/{my-subscription}/resourceGroups/{my-resource-group}/providers/Microsoft.Logic/workflows/{my-workflow-id}.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-TriggerUri <String>

Logic App Callback URL for this specific workflow.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-DefaultProfile <PSObject>

The DefaultProfile parameter is not functional.

Use the SubscriptionId parameter when available if executing the cmdlet against a different subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Break [<SwitchParameter>]

Wait for .NET debugger to attach

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelineAppend <SendAsyncStep[]>

SendAsync Pipeline Steps to be appended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelinePrepend <SendAsyncStep[]>

SendAsync Pipeline Steps to be prepended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Proxy <Uri>

The URI for the proxy server to use

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyCredential <PSCredential>

Credentials for a proxy server to use for the remote call

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyUseDefaultCredentials [<SwitchParameter>]

Use the default credentials for the proxy

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-WhatIf [<SwitchParameter>]

Required? false

Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

INPUTS

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.SecurityInsights.Models.Api20210901Preview.IActionResponse

----- EXAMPLE 1 -----

```
PS C:\>$LogicAppResourceId = Get-AzLogicApp -ResourceGroupName "myLogicAppResourceGroupName" -Name "myLogicAppPlaybookName"

$LogicAppTriggerUri = Get-AzLogicAppTriggerCallbackUrl -ResourceGroupName "myLogicAppResourceGroupName" -Name $LogicAppResourceId.Name -TriggerName "When_a_response_to_an_Azure_Sentinel_alert_is_triggered"
```

```
New-AzSentinelAlertRuleAction -ResourceGroupName "mySentinelResourceGroupName" -workspaceName  
"myWorkspaceName" -RuleId "48bbf86d-540b-4a7b-9fee-2bd7d810dbed"  
-LogicAppResourceId ($LogicAppResourceId.Id) -TriggerUri ($LogicAppTriggerUri.Value) -Id ((New-Guid).Guid)
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.securityinsights/new-azsentinelalertruleaction>