



Windows PowerShell Get-Help on Cmdlet 'New-AzSqlElasticJobCredential'

PS:\>Get-HELP New-AzSqlElasticJobCredential -Full

NAME

New-AzSqlElasticJobCredential

SYNOPSIS

Creates a new job credential

SYNTAX

```
New-AzSqlElasticJobCredential [-ResourceGroupName] <System.String> [-ServerName] <System.String> [-AgentName]
<System.String> [-Name] <System.String> -Credential
                                     <System.Management.Automation.PSCredential> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm]
[-WhatIf] [<CommonParameters>]

                                     New-AzSqlElasticJobCredential [-ParentObject]
<Microsoft.Azure.Commands.Sql.ElasticJobs.Model.AzureSqlElasticJobAgentModel> [-Name] <System.String> -Credential
                                     <System.Management.Automation.PSCredential> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm]
[-WhatIf] [<CommonParameters>]
```

New-AzSqlElasticJobCredential [-ParentResourceId] <System.String> [-Name] <System.String> -Credential <System.Management.Automation.PSCredential> [-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

The New-AzSqlElasticJobCredential cmdlet creates a new job credential

PARAMETERS

-AgentName <System.String>

The agent name

Required? true

Position? 2

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Credential <System.Management.Automation.PSCredential>

The credential

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-Name <System.String>

The job credential name

Required? true
Position? 3
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ParentObject <Microsoft.Azure.Commands.Sql.ElasticJobs.Model.AzureSqlElasticJobAgentModel>

The agent object

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-ParentResourceId <System.String>

The agent resource id

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-ResourceGroupName <System.String>

The resource group name

Required? true

Position? 0

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ServerName <System.String>

The server name

Required? true

Position? 1

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.Management.Automation.PSCredential

Microsoft.Azure.Commands.Sql.ElasticJobs.Model.AzureSqlElasticJobAgentModel

OUTPUTS

Microsoft.Azure.Commands.Sql.ElasticJobs.Model.AzureSqlElasticJobCredentialModel

NOTES

----- Example 1 -----

```
$agent = Get-AzSqlElasticJobAgent -ResourceGroupName rg -ServerName elasticjobserver -Name agent
$agent | New-AzSqlElasticJobCredential -Name cred1 -Credential (Get-Credential)
```

CredentialName UserName

cred1 user1

Creates a new job credential

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/Az.sql/new-Azsqlelasticjobcredential>