



Windows PowerShell Get-Help on Cmdlet 'New-AzSqlElasticJobPrivateEndpoint'

PS:\>Get-HELP New-AzSqlElasticJobPrivateEndpoint -Full

NAME

New-AzSqlElasticJobPrivateEndpoint

SYNOPSIS

Creates a new job private endpoint

SYNTAX

```

New-AzSqlElasticJobPrivateEndpoint [-ResourceGroupName] <System.String> [-ServerName] <System.String>
[-AgentName] <System.String> [-Name] <System.String> [-AsJob]
[-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
-TargetServerAzureResourceId <System.String> [-Confirm]
[-WhatIf] [<CommonParameters>]

New-AzSqlElasticJobPrivateEndpoint [-ElasticJobAgentObject]
<Microsoft.Azure.Commands.Sql.ElasticJobs.Model.AzureSqlElasticJobAgentModel> [-Name] <System.String>
[-AsJob] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
-TargetServerAzureResourceId <System.String>
[-Confirm] [-WhatIf] [<CommonParameters>]

```

```
New-AzSqlElasticJobPrivateEndpoint [-ElasticJobAgentResourceId] <System.String> [-Name] <System.String> [-AsJob]
[-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
-TargetServerAzureResourceId <System.String> [-Confirm] [-WhatIf]
[<CommonParameters>]
```

DESCRIPTION

The New-AzSqlElasticJobPrivateEndpoint cmdlet creates a new job private endpoint

PARAMETERS

-AgentName <System.String>

The agent name

Required? true

Position? 2

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ElasticJobAgentObject <Microsoft.Azure.Commands.Sql.ElasticJobs.Model.AzureSqlElasticJobAgentModel>

The agent object

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-ElasticJobAgentResourceId <System.String>

The agent resource id

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Name <System.String>

The private endpoint name

Required? true
Position? 3
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ResourceGroupName <System.String>

The resource group name

Required? true

Position? 0

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ServerName <System.String>

The server name

Required? true

Position? 1

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-TargetServerAzureResourceId <System.String>

The resource ID for the server the private endpoint will target.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.Sql.ElasticJobs.Model.AzureSqlElasticJobAgentModel

System.String

OUTPUTS

Microsoft.Azure.Commands.Sql.ElasticJobs.Model.AzureSqlElasticJobPrivateEndpointModel

----- Example 1 -----

```
$agent = Get-AzSqlElasticJobAgent -ResourceGroupName rg -ServerName elasticjobserver -Name agent
$agent | New-AzSqlElasticJobPrivateEndpoint -Name endpoint1 -TargetServerAzureResourceId
"/subscriptions/xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx/resourceGroups/rg1/providers/Microsoft.Sql/servers/server1"
```

```
PrivateEndpointName      : endpoint1
                           TargetServerAzureResourceId      :
                           /subscriptions/xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx/resourceGroups/rg1/providers/Microsoft.Sql/servers/server1
PrivateEndpointId        : EJ_xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx_endpoint1
ResourceGroupName        : rg
ServerName                : elasticjobserver
AgentName                 : agent
ResourceId                :
```

```
/subscriptions/xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxx/resourceGroups/rg/providers/Microsoft.Sql/servers/elasticjobserver/jobAgents/agent/privateEndpoints/endpoint1
Type                      : Microsoft.Sql/servers/jobAgents/privateEndpoints
```

Creates a new job private endpoint

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.sql/new-azsqlelasticjobprivateendpoint>