



Windows PowerShell Get-Help on Cmdlet 'New-AzSqlElasticJobTargetGroup'

PS:\>Get-HELP New-AzSqlElasticJobTargetGroup -Full

NAME

New-AzSqlElasticJobTargetGroup

SYNOPSIS

Creates a new target group

SYNTAX

```

New-AzSqlElasticJobTargetGroup [-ResourceGroupName] <System.String> [-ServerName] <System.String>
[-AgentName] <System.String> [-Name] <System.String>
[-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[-Confirm] [-WhatIf] [<CommonParameters>]

New-AzSqlElasticJobTargetGroup [-ParentObject]
<Microsoft.Azure.Commands.Sql.ElasticJobs.Model.AzureSqlElasticJobAgentModel> [-Name] <System.String>
[-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm] [-WhatIf]
[<CommonParameters>]

```

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer> [-Confirm] [-WhatIf]
[<CommonParameters>]

DESCRIPTION

The New-AzSqlElasticJobTargetGroup cmdlet creates a new target group

PARAMETERS

-AgentName <System.String>

The agent name

Required? true

Position? 2

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

The target group name

Required? true

Position? 3

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ParentObject <Microsoft.Azure.Commands.Sql.ElasticJobs.Model.AzureSqlElasticJobAgentModel>

The agent input object

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-ParentResourceId <System.String>

The agent resource id

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ResourceGroupName <System.String>

The resource group name

Required? true

Position? 0

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ServerName <System.String>

The server name

Required? true
Position? 1
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

Microsoft.Azure.Commands.Sql.ElasticJobs.Model.AzureSqlElasticJobAgentModel

OUTPUTS

Microsoft.Azure.Commands.Sql.ElasticJobs.Model.AzureSqlElasticJobTargetGroupModel

NOTES

----- Example 1 -----

```
$agent = Get-AzSqlElasticJobAgent -ResourceGroupName rg -ServerName elasticjobserver -Name agent
```

```
$agent | New-AzSqlElasticJobTargetGroup -Name tg1
```

TargetGroupName Targets

tg1

Creates an empty target group

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/Az.sql/new-Azsqlelasticjobtargetgroup>