



Windows PowerShell Get-Help on Cmdlet 'New-AzSqlInstanceStartStopSchedule'

PS:\>Get-HELP New-AzSqlInstanceStartStopSchedule -Full

NAME

New-AzSqlInstanceStartStopSchedule

SYNOPSIS

Creates start/stop schedule for Azure SQL Managed Instance

SYNTAX

```
New-AzSqlInstanceStartStopSchedule [-ResourceGroupName] <String> [-DefaultProfile <IAzureContextContainer>]
[-Description <String>] [-Force] -InstanceModel
    <AzureSqlManagedInstanceModel> -ScheduleList <ScheduleItem[]> -TimeZone <String> [-Confirm] [-WhatIf]
[<CommonParameters>]
```

```
New-AzSqlInstanceStartStopSchedule [-ResourceGroupName] <String> [-DefaultProfile <IAzureContextContainer>]
[-Description <String>] [-Force] -InstanceName <String>
    -ScheduleList <ScheduleItem[]> -TimeZone <String> [-Confirm] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

Creates start/stop schedule for Azure SQL Managed Instance

PARAMETERS

-DefaultProfile <IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Description <String>

The description of the schedule.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Force [<SwitchParameter>]

Skip confirmation message for performing the action

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-InstanceModel <AzureSqlManagedInstanceModel>

Instance model input object.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-InstanceName <String>

The name of the Azure SQL Managed Instance

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-ResourceGroupName <String>

The name of the resource group.

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-ScheduleList <ScheduleItem[]>

Array of valid SheduleItem objects.

Required? true
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-TimeZone <String>

The name of the timezone for the schedule. Please refer to

<https://learn.microsoft.com/en-us/powershell/module/microsoft.powershell.management/get-timezone?view=powershell-7.3#examples-for-valid-values>.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.Sql.ManagedInstance.Model.AzureSqlManagedInstanceModel

OUTPUTS

Microsoft.Azure.Commands.Sql.ManagedInstanceSchedule.Model.AzureSqlManagedInstanceScheduleModel

NOTES

----- Example 1 -----

```
$newSchedule = New-AzSqlInstanceScheduleItem -StartDay Monday -StopDay Friday -StartTime "09:00" -StopTime  
"17:00"  
New-AzSqlInstanceStartStopSchedule -InstanceName managed-instance-v2 -ResourceGroupName  
CustomerExperienceTeam_RG -ScheduleList $newSchedule -TimeZone "Central Europe  
Standard Time"
```

Creates new start/stop schedule that starts at Monday 9 AM and stops at Friday 5 PM.

----- Example 2 -----

```
$mi = Get-AzSqlInstanceStartStopSchedule -InstanceName instance-name -ResourceGroupName rg-name
```

```
$existingSchedule = $mi.ScheduleList
```

```
$newSchedule = New-AzSqlInstanceScheduleItem -StartDay Monday -StopDay Friday -StartTime "09:00" -StopTime  
"17:00" -ScheduleList $existingSchedule
```

```
New-AzSqlInstanceStartStopSchedule -InstanceName managed-instance-v2 -ResourceGroupName  
CustomerExperienceTeam_RG -ScheduleList $newSchedule -TimeZone "Central Europe  
Standard Time"
```

Updates existing start/stop schedule with new schedule item starts at Monday 9 AM and stops at Friday 5 PM.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.sql/new-azsqlinstancestartstopschedule>

[Get-AzSqlInstanceStartStopSchedule](#)

[New-AzSqlInstanceScheduleItem](#)

[Remove-AzSqlInstanceStartStopSchedule](#)