



Windows PowerShell Get-Help on Cmdlet 'New-AzSqlServerDnsAlias'

PS:\>Get-HELP New-AzSqlServerDnsAlias -Full

NAME

New-AzSqlServerDnsAlias

SYNOPSIS

This command creates a new Azure SQL Server DNS Alias.

SYNTAX

```
New-AzSqlServerDnsAlias [-ResourceGroupName] <System.String> [-AsJob] [-DefaultProfile  
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Name  
<System.String> -ServerName <System.String> [-Confirm] [-WhatIf]  
    [<CommonParameters>]
```

DESCRIPTION

Creates new Azure SQL Server DNS Alias that is pointing to specified server.

PARAMETERS

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-Name <System.String>

The Azure Sql Server Dns Alias name.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-ResourceGroupName <System.String>

The name of the resource group.

Required?	true
Position?	0
Default value	None
Accept pipeline input?	True (ByPropertyName)

Accept wildcard characters? false

-ServerName <System.String>

The Azure Sql Server name.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see

about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

OUTPUTS

Microsoft.Azure.Commands.Sql.ServerDnsAlias.Model.AzureSqlServerDnsAliasModel

NOTES

----- Example 1 -----

```
$serverDNSAlias = New-AzSqlServerDnsAlias -ResourceGroupName rg -ServerName serverName -DnsAliasName  
aliasName
```

```
ResourceGroupName ServerName DnsAliasName
```

```
rgname          servername dnsaliasname
```

This command creates Azure SQL Server DNS Alias with the name aliasName that is pointing to server serverName

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.sql/new-azsqlserverdnsalias>

