



Windows PowerShell Get-Help on Cmdlet 'New-AzSqlServerTrustGroup'

PS: \>Get-HELP New-AzSqlServerTrustGroup -Full

NAME

New-AzSqlServerTrustGroup

SYNOPSIS

Creates or updates a Server Trust Group.

SYNTAX

```
New-AzSqlServerTrustGroup [-ResourceGroupName] <System.String> [-Location] <System.String> [-Name]
<System.String> [-GroupMember]
```

```
<System.Collections.Generic.List`1[Microsoft.Azure.Commands.Sql.ManagedInstance.Model.AzureSqlManagedInstanceMo
del]> [-DefaultProfile
```

```
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-TrustScope
<System.Collections.Generic.List`1[System.String]>] [-Confirm]
[-WhatIf] [<CommonParameters>]
```

```
New-AzSqlServerTrustGroup [-ResourceGroupName] <System.String> [-Location] <System.String> [-Name]
<System.String> [-GroupMemberResourceId]
```

```
<System.Collections.Generic.List`1[System.String]>
```

```
[-DefaultProfile
```

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]

[-TrustScope <System.Collections.Generic.List`1[System.String]>] [-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

Creates a new Server Trust Group with specified location, members, trust scope, name and resource group.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-GroupMember

<System.Collections.Generic.List`1[Microsoft.Azure.Commands.Sql.ManagedInstance.Model.AzureSqlManagedInstanceModel]>

Group members of the Server Trust Group to create.

Required? true

Position? 3

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-GroupMemberResourceId <System.Collections.Generic.List`1[System.String]>

Group members of the Server Trust Group to create.

Required? true

Position? 3
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-Location <System.String>

The location of the Server Trust Group to create.

Required? true
Position? 1
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-Name <System.String>

The name of the Server Trust Group to create.

Required? true
Position? 2
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ResourceGroupName <System.String>

The name of the resource group.

Required? true
Position? 0
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-TrustScope <System.Collections.Generic.List`1[System.String]>

The trust scope of the Server Trust Group to create.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

None

OUTPUTS

Microsoft.Azure.Commands.Sql.ServerTrustGroup.Model.AzureSqlServerTrustGroupModel

NOTES

----- Example 1 -----

```
$managedInstanceList = @()
```

```
$mi = Get-AzSqlInstance -Name "ManagedInstance01" -ResourceGroupName "ResourceGroup01"
```

```
$managedInstanceList += $mi
```

```
$mi = Get-AzSqlInstance -Name "ManagedInstance02" -ResourceGroupName "ResourceGroup02"
```

```
$managedInstanceList += $mi
```

```
New-AzSqlServerTrustGroup -ResourceGroupName "ResourceGroup03" -Location "West Europe" -Name  
"ServerTrustGroup01" -GroupMember $managedInstanceList -TrustScope  
"GlobalTransactions"
```

Creates a new Server Trust Group in location West Europe with name ServerTrustGroup01. Its members are AzureSQL Managed Instances ManagedInstance01 and

ManagedInstance02. Its trust scope is GlobalTransactions and its resource group is ResourceGroup03.

----- Example 2 -----

"/subscriptions/xxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxx/resourceGroups/ResourceGroup01/providers/Microsoft.Sql/managed
Instances/ManagedInstance01"

\$mi2 =

"/subscriptions/xxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxx/resourceGroups/ResourceGroup02/providers/Microsoft.Sql/managed
Instances/ManagedInstance02"

```
New-AzSqlServerTrustGroup -ResourceGroupName "ResourceGroup03" -Location "West Europe" -Name  
"ServerTrustGroup01" -GroupMemberResourceId $mi1,$mi2 -TrustScope  
"GlobalTransactions"
```

Creates a new Server Trust Group in location West Europe with name ServerTrustGroup01. Its members are AzureSQL
Managed Instances ManagedInstance01 and

ManagedInstance02, given by its Resource ids. Its trust scope is GlobalTransactions and its resource group is
ResourceGroup03.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.sql/new-azsqlservertrustgroup>