



Windows PowerShell Get-Help on Cmdlet 'New-AzStorageBlobDestinationObject'

PS:\>Get-HELP New-AzStorageBlobDestinationObject -Full

NAME

New-AzStorageBlobDestinationObject

SYNOPSIS

Create an in-memory object for StorageBlobDestination.

SYNTAX

New-AzStorageBlobDestinationObject [-ContainerName <String>] [-Name <String>] [-StorageAccountResourceId <String>] [<CommonParameters>]

DESCRIPTION

Create an in-memory object for StorageBlobDestination.

PARAMETERS

-ContainerName <String>

The container name of the Storage Blob.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-Name <String>

A friendly name for the destination.

This name should be unique across all destinations (regardless of type) within the data collection rule.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-StorageAccountResourceId <String>

The resource ID of the storage account.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.Monitor.DataCollection.Models.StorageBlobDestination

----- EXAMPLE 1 -----

```
PS C:\>New-AzStorageBlobDestinationObject -ContainerName "my-logs" -StorageAccountResourceId  
  
/subscriptions/da58aca0-2082-4f5a-85ba-27344286c17c/resourceGroups/sa-rg/providers/Microsoft.Storage/storageAccount  
s/rightregion:westus:sa-name1 -Name  
storageAccountDestination1
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/Az.Monitor/new-azstorageblobdestinationobject>