



Windows PowerShell Get-Help on Cmdlet 'New-AzSupportCommunicationsNoSubscription'

PS:\>Get-HELP New-AzSupportCommunicationsNoSubscription -Full

NAME

New-AzSupportCommunicationsNoSubscription

SYNOPSIS

Adds a new customer communication to an Azure support ticket.

SYNTAX

```
New-AzSupportCommunicationsNoSubscription -CommunicationName <String> -SupportTicketName <String> -Body  
<String> -Subject <String> [-Sender <String>] [-DefaultProfile  
<PSCredential>] [-AsJob] [-Break] [-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend <SendAsyncStep[]>]  
[-NoWait] [-Proxy <Uri>] [-ProxyCredential  
<PSCredential>] [-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm] [<CommonParameters>]
```

DESCRIPTION

Adds a new customer communication to an Azure support ticket.

PARAMETERS

-CommunicationName <String>

Communication name.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-SupportTicketName <String>

Support ticket name.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Body <String>

Body of the communication.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Subject <String>

Subject of the communication.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Sender <String>

Email address of the sender.

This property is required if called by a service principal.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-DefaultProfile <PSObject>

The DefaultProfile parameter is not functional.

Use the SubscriptionId parameter when available if executing the cmdlet against a different subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-AsJob [<SwitchParameter>]

Run the command as a job

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-Break [<SwitchParameter>]

Wait for .NET debugger to attach

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-HttpPipelineAppend <SendAsyncStep[]>

SendAsync Pipeline Steps to be appended to the front of the pipeline

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-HttpPipelinePrepend <SendAsyncStep[]>

SendAsync Pipeline Steps to be prepended to the front of the pipeline

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-NoWait [<SwitchParameter>]

Run the command asynchronously

Required? false
Position? named
Default value False
Accept pipeline input? false

Accept wildcard characters? false

-Proxy <Uri>

The URI for the proxy server to use

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyCredential <PSCredential>

Credentials for a proxy server to use for the remote call

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyUseDefaultCredentials [<SwitchParameter>]

Use the default credentials for the proxy

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-WhatIf [<SwitchParameter>]

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.Support.Models.ICommunicationDetails

----- EXAMPLE 1 -----

```
PS C:\>New-AzSupportCommunicationsNoSubscription -SupportTicketName test1234 -Name testCommunication2  
-Subject test -Body test
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.support/new-azsupportcommunicationsnosubscription>