



Windows PowerShell Get-Help on Cmdlet 'New-AzSupportFileAndUpload'

PS:\>Get-HELP New-AzSupportFileAndUpload -Full

NAME

New-AzSupportFileAndUpload

SYNOPSIS

Creates and uploads a new file under a workspace for the specified subscription.

SYNTAX

```
New-AzSupportFileAndUpload -WorkspaceName <String> [-SubscriptionId <String>] -FilePath <String> [-DefaultProfile  
<PSObject>] [-Break] [-HttpPipelineAppend  
<SendAsyncStep[]>] [-HttpPipelinePrepend <SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential <PSCredential>]  
[-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm]  
[<CommonParameters>]
```

DESCRIPTION

Creates and uploads a new file under a workspace for the specified subscription.

-WorkspaceName <String>

File workspace name.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-SubscriptionId <String>

Azure subscription Id.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-FilePath <String>

Path of the file to be uploaded

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-DefaultProfile <PSObject>

The DefaultProfile parameter is not functional.

Use the SubscriptionId parameter when available if executing the cmdlet against a different subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Break [<SwitchParameter>]

Wait for .NET debugger to attach

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelineAppend <SendAsyncStep[]>

SendAsync Pipeline Steps to be appended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelinePrepend <SendAsyncStep[]>

SendAsync Pipeline Steps to be prepended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Proxy <Uri>

The URI for the proxy server to use

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-ProxyCredential <PSCredential>

Credentials for a proxy server to use for the remote call

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-ProxyUseDefaultCredentials [<SwitchParameter>]

Use the default credentials for the proxy

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-WhatIf [<SwitchParameter>]

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.Support.Models.IFileDetails

----- EXAMPLE 1 -----

```
PS C:\>New-AzSupportFileAndUpload -WorkspaceName "testworkspace" -FilePath "C:\path\to\file\test.txt"
```

----- EXAMPLE 2 -----

```
PS C:\>New-AzSupportFileAndUpload -WorkspaceName "2402084010005835" -FilePath "C:\path\to\file\test.txt"
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.support/new-azsupportfileandupload>