



**Full credit is given to all the above companies including the Operating System that this PDF file was generated!**

### **Windows PowerShell Get-Help on Cmdlet 'New-AzSynapseSqlPoolRestorePoint'**

**PS:\>Get-HELP New-AzSynapseSqlPoolRestorePoint -Full**

#### **NAME**

New-AzSynapseSqlPoolRestorePoint

#### **SYNOPSIS**

Creates a new restore point in an Azure Synapse Analytics SQL pool.

#### **SYNTAX**

New-AzSynapseSqlPoolRestorePoint                    [-AsJob]                    [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer> ] -InputObject

          <Microsoft.Azure.Commands.Synapse.Models.PSSynapseSqlPool> -RestorePointLabel <System.String> [-Confirm]

[-WhatIf] [<CommonParameters>]

New-AzSynapseSqlPoolRestorePoint                    [-AsJob]                    [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer> ] -Name

          <System.String> [-ResourceGroupName <System.String>] -RestorePointLabel <System.String> -WorkspaceName

          <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

New-AzSynapseSqlPoolRestorePoint                    [-AsJob]                    [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer> ] -Name

*Page 1/6*

|   |                                 |   |                               |
|---|---------------------------------|---|-------------------------------|
| <code>&lt;System.String&gt;</code>  | <code>-RestorePointLabel</code> | <code>&lt;System.String&gt;</code>            | <code>-WorkspaceObject</code> |
| <Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace> [-Confirm] [-WhatIf] |                                 |   |                               |
| [<CommonParameters>]  |                                 |   |                               |
|   |                                 | <code>New-AzSynapseSqlPoolRestorePoint</code> | [-AsJob]                      |
|   |                                 | [-DefaultProfile]                             |                               |

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer> -ResourcedId

`<System.String> -RestorePointLabel <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]`

## DESCRIPTION

The `New-AzSynapseSqlPoolRestorePoint` cmdlet creates a new restore point that an Azure Synapse Analytics SQL pool can be restored from.

## PARAMETERS

`-AsJob <System.Management.Automation.SwitchParameter>`

Run cmdlet in the background

Required?            false

Position?            named

Default value        False

Accept pipeline input?    False

Accept wildcard characters?    false

`-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>`

The credentials, account, tenant, and subscription used for communication with Azure.

Required?            false

Position?            named

Default value        None

Accept pipeline input?    False

Accept wildcard characters?    false

-InputObject <Microsoft.Azure.Commands.Synapse.Models.PSSynapseSqlPool>

SQL pool input object, usually passed through the pipeline.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Name <System.String>

Name of Synapse SQL pool.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

Resource group name.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceId <System.String>

Resource identifier of Synapse SQL Pool.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-RestorePointLabel <System.String>

The label we associate a restore point with, may not be unique.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-WorkspaceName <System.String>

Name of Synapse workspace.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-WorkspaceObject <Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace>

workspace input object, usually passed through the pipeline.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false  
Position? named  
Default value False  
Accept pipeline input? False  
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false  
Position? named  
Default value False  
Accept pipeline input? False  
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

## INPUTS

Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace

Microsoft.Azure.Commands.Synapse.Models.PSSynapseSqlPool

## OUTPUTS

Microsoft.Azure.Commands.Synapse.Models.PSRestorePoint

## NOTES

----- Example 1 -----

```
New-AzSynapseSqlPoolRestorePoint -WorkspaceName ContosoWorkspace -Name ContosoSqlPool -RestorePointLabel  
ContosoRestorePoint
```

This command creates a restore point for SQL pool called ContosoSqlPool in the workspace ContosoWorkspace.

## RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.synapse/new-azsynapseqlpoolrestorepoint>