



Windows PowerShell Get-Help on Cmdlet 'New-AzWebAppBackup'

PS: \>Get-HELP New-AzWebAppBackup -Full

NAME

New-AzWebAppBackup

SYNOPSIS

Creates an Azure Web App Backup.

SYNTAX

```
New-AzWebAppBackup [-ResourceGroupName] <System.String> [-Name] <System.String> [[-Slot] <System.String>]
[-StorageAccountUrl] <System.String> [[-BackupName]
    <System.String>] [-Databases <Microsoft.Azure.Management.WebSites.Models.DatabaseBackupSetting[]>]
[-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[<CommonParameters>]
```

```
New-AzWebAppBackup [-WebApp] <Microsoft.Azure.Commands.WebApps.Models.PSSite> [-StorageAccountUrl]
<System.String> [[-BackupName] <System.String>] [-Databases
    <Microsoft.Azure.Management.WebSites.Models.DatabaseBackupSetting[]>] [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[<CommonParameters>]
```

DESCRIPTION

The New-AzWebAppBackup cmdlet creates an Azure Web App Backup.

PARAMETERS

-BackupName <System.String>

Backup Name

Required? false

Position? 4

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Databases <Microsoft.Azure.Management.WebSites.Models.DatabaseBackupSetting[]>

Databases of type DatabaseBackupSetting[]

Required? false

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

WebApp Name

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ResourceGroupName <System.String>

Resource Group Name

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Slot <System.String>

WebApp Slot Name

Required? false

Position? 2

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-StorageAccountUrl <System.String>

Storage Account Url

Required? true

Position? 3

Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-WebApp <Microsoft.Azure.Commands.WebApps.Models.PSSite>

WebApp Object

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,
ErrorAction, ErrorVariable, WarningAction, WarningVariable,
OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.WebApps.Models.PSSite

Microsoft.Azure.Management.WebSites.Models.DatabaseBackupSetting[]

OUTPUTS

Microsoft.Azure.Commands.WebApps.Cmdlets.WebApps.AzureWebAppBackup

NOTES

----- Example 1 -----

```
New-AzWebAppBackup -ResourceGroupName "Default-Web-WestUS" -Name "ContosoWebApp" -StorageAccountUrl  
"https://storageaccount.file.core.windows.net"
```

Creates a backup of the specified app ContosoWebApp that is within resource group Default-Web-WestUS in
`https://storageaccount.file.core.windows.net`

----- Example 2 -----

```
New-AzWebAppBackup -BackupName <String> -Name 'ContosoWebApp' -ResourceGroupName 'Default-Web-WestUS'  
-StorageAccountUrl 'https://storageaccount.file.core.windows.net'
```

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.websites/new-azwebappbackup>