



Windows PowerShell Get-Help on Cmdlet 'New-AzWebPubSubEventHubEndpointObject'

PS:\>Get-HELP New-AzWebPubSubEventHubEndpointObject -Full

NAME

New-AzWebPubSubEventHubEndpointObject

SYNOPSIS

Create an in-memory object for EventHubEndpoint.

SYNTAX

New-AzWebPubSubEventHubEndpointObject -EventHubName <String> -FullyQualifiedNamespace <String>
[<CommonParameters>]

DESCRIPTION

Create an in-memory object for EventHubEndpoint.

PARAMETERS

-EventHubName <String>

The name of the Event Hub.

Required? true
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-FullyQualifiedNamespace <String>

The fully qualified namespace name of the Event Hub resource.
For example, "example.servicebus.windows.net".

Required? true
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.WebPubSub.Models.Api20220801Preview.EventHubEndpoint

----- EXAMPLE 1 -----

```
PS C:\>$eventHub = New-AzWebPubSubEventHubEndpointObject -EventHubName hub1 -FullyQualifiedNamespace example.servicebus.windows.net
```

\$eventHub

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.signalr/new-azwebpubsubeventhubendpointobject>