



Windows PowerShell Get-Help on Cmdlet 'New-AzWebPubSubEventNameFilterObject'

PS:\>Get-HELP New-AzWebPubSubEventNameFilterObject -Full

NAME

New-AzWebPubSubEventNameFilterObject

SYNOPSIS

Create an in-memory object for EventNameFilter.

SYNTAX

New-AzWebPubSubEventNameFilterObject [-SystemEvent <String[]>] [-UserEventPattern <String>]

[<CommonParameters>]

DESCRIPTION

Create an in-memory object for EventNameFilter.

PARAMETERS

-SystemEvent <String[]>

Gets or sets a list of system events.

Supported events: "connected" and "disconnected".

Blocking event "connect" is not supported because it requires a response.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-UserEventPattern <String>

Gets or sets a matching pattern for event names.

There are 3 kinds of patterns supported:

1.

"*", it matches any event name

2.

Combine multiple events with ",", for example "event1,event2", it matches events "event1" and "event2"

3.

A single event name, for example, "event1", it matches "event1".

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

OUTPUTS

----- EXAMPLE 1 -----

```
PS C:\>$filter = New-AzWebPubSubEventNameFilterObject -SystemEvent connected,disconnected -UserEventPattern *
```

```
$filter
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.signalr/new-azwebpubsubeventnamefilterobject>