



Windows PowerShell Get-Help on Cmdlet 'Register-AzStaticWebAppUserProvidedFunctionApp'

PS:\>Get-HELP Register-AzStaticWebAppUserProvidedFunctionApp -Full

NAME

Register-AzStaticWebAppUserProvidedFunctionApp

SYNOPSIS

Description for Register a user provided function app with a static site build

SYNTAX

```
Register-AzStaticWebAppUserProvidedFunctionApp -FunctionAppName <String> -Name <String>
-ResourceGroupName <String> [-SubscriptionId <String>] [-Forced]
[-FunctionAppRegion <String>] [-FunctionAppResourceId <String>] [-Kind <String>] [-DefaultProfile <PSObject>] [-AsJob]
[-Break] [-HttpPipelineAppend
    <SendAsyncStep[]>] [-HttpPipelinePrepend <SendAsyncStep[]>] [-NoWait] [-Proxy <Uri>] [-ProxyCredential
<PSCredential>] [-ProxyUseDefaultCredentials] [-WhatIf]
[-Confirm] [<CommonParameters>]
```

```
Register-AzStaticWebAppUserProvidedFunctionApp -FunctionAppName <String> -Name <String>
-ResourceGroupName <String> -EnvironmentName <String> [-SubscriptionId
    <String>] [-Forced] [-FunctionAppRegion <String>] [-FunctionAppResourceId <String>] [-Kind <String>] [-DefaultProfile
    <PSObject>] [-AsJob] [-Break]
```

[-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend <SendAsyncStep[]>] [-NoWait] [-Proxy <Uri>]
[-ProxyCredential <PSCredential>]
[-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm] [<CommonParameters>]

DESCRIPTION

Description for Register a user provided function app with a static site build

PARAMETERS

-FunctionAppName <String>

Name of the function app to register with the static site build.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Name <String>

Name of the static site.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ResourceGroupName <String>

Name of the resource group to which the resource belongs.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-EnvironmentName <String>

The stage site identifier.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-SubscriptionId <String>

Your Azure subscription ID.

This is a GUID-formatted string (e.g.

00000000-0000-0000-0000-000000000000).

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Forced [<SwitchParameter>]

Specify `<code>>true</code>`

 to force the update of the auth configuration on the function app even if an AzureStaticWebApps provider is already configured on the function app.

The default is `<code>>false</code>`.

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-FunctionAppRegion <String>

The region of the function app registered with the static site

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-FunctionAppResourceId <String>

The resource id of the function app registered with the static site

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Kind <String>

Kind of resource.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-DefaultProfile <PSObject>

The DefaultProfile parameter is not functional.

Use the SubscriptionId parameter when available if executing the cmdlet against a different subscription. *Page 4/9*

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-AsJob [<SwitchParameter>]

Run the command as a job

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-Break [<SwitchParameter>]

Wait for .NET debugger to attach

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-HttpPipelineAppend <SendAsyncStep[]>

SendAsync Pipeline Steps to be appended to the front of the pipeline

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-HttpPipelinePrepend <SendAsyncStep[]>

SendAsync Pipeline Steps to be prepended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-NoWait [<SwitchParameter>]

Run the command asynchronously

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-Proxy <Uri>

The URI for the proxy server to use

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyCredential <PSCredential>

Credentials for a proxy server to use for the remote call

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyUseDefaultCredentials [<SwitchParameter>]

Use the default credentials for the proxy

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-WhatIf [<SwitchParameter>]

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see

about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.Websites.Models.Api20201201.IStaticSiteUserProvidedFunctionAppArmResource

----- EXAMPLE 1 -----

```
PS C:\>Register-AzStaticWebAppUserProvidedFunctionApp -ResourceGroupName azure-rg-test -Name
staticweb-pwsh02 -FunctionAppName funcapp-portal01-test
                                                    -FunctionAppResourceId
'/subscriptions/xxxxxxxxxxxx/resourcegroups/azure-rg-test/providers/Microsoft.Web/sites/funcapp-portal01-test'
-FunctionAppRegion 'Central US'
```

----- EXAMPLE 2 -----

```
PS C:\>Register-AzStaticWebAppUserProvidedFunctionApp -ResourceGroupName azure-rg-test -Name
staticweb-pwsh02 -FunctionAppName functionapp-portal02
                                                    -FunctionAppResourceId
'/subscriptions/xxxxxxxx/resourcegroups/azure-rg-test/providers/Microsoft.Web/sites/functionapp-portal02'
-FunctionAppRegion 'Central US'
-EnvironmentName 5
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.websites/register-azstaticwebappuserprovidedfunctionapp>