



python



PowerShell

FPDF Library

PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Register-UevTemplate'

PS C:\Users\wahid> Get-Help Register-UevTemplate

NAME

Register-UevTemplate

SYNOPSIS

Registers a settings location template with UE-V.

SYNTAX

Register-UevTemplate [-Confirm] -LiteralPath <String[]> [-WhatIf]
[<CommonParameters>]

Register-UevTemplate [-Path] <String[]> [-Confirm] [-WhatIf]
[<CommonParameters>]

DESCRIPTION

The Register-UevTemplate cmdlet registers a settings location template with Microsoft User Experience Virtualization (UE-V). A template defines settings to synchronize between computers. After you register a template, UE-V synchronizes the settings. If you try to register a template that is already registered, the cmdlet returns an error.

You must have administrative credentials to run this cmdlet.

PARAMETERS

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

-LiteralPath <String[]>

Specifies an array of literal file paths. The cmdlet registers the settings location templates that have the literal paths that you specify.

-Path <String[]>

Specifies an array of file paths. The cmdlet registers the settings location templates that have the paths that you specify. Use wildcards to specify multiple files.

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

----- Example 1: Register a template -----

```
PS C:\> Register-UevTemplate -Path "MicrosoftCalculator.xml"
```

This command registers a template in the current directory.

----- Example 2: Register multiple templates -----

```
PS C:\> Register-UevTemplate -Path "Microsoft*.xml"
```

This command uses a wildcard to specify multiple templates in the current directory.

----- Example 3: Register all templates in a directory -----

```
PS C:\> Register-UevTemplate -Path "*.xml"
```

This command uses a wildcard to register all settings location templates that are in the current directory but that are not currently registered.

---- Example 4: Register a template by using a literal path ----

```
PS C:\> Register-UevTemplate -LiteralPath "C:\Program Files\Microsoft User  
Experience Virtualization\Templates\MicrosoftCalculator.xml"
```

This command registers a settings location template by using the literal path of the template file.

REMARKS

To see the examples, type: "get-help Register-UevTemplate -examples".

For more information, type: "get-help Register-UevTemplate -detailed".

For technical information, type: "get-help Register-UevTemplate -full".

For online help, type: "get-help Register-UevTemplate -online"