



python



PowerShell

FPDF Library

PDF generator

Full credit is given to the above companies including the OS that this PDF file was generated!

PowerShell Get-Help on command 'Remove-AppvClientConnectionGroup'

PS C:\Users\wahid> Get-Help Remove-AppvClientConnectionGroup

NAME

Remove-AppvClientConnectionGroup

SYNOPSIS

Deletes an App-V connection group on the client.

SYNTAX

Remove-AppvClientConnectionGroup [-ConnectionGroup]

<AppvClientConnectionGroup> [<CommonParameters>]

Remove-AppvClientConnectionGroup [-GroupId] <Guid> [-VersionId] <Guid>

[<CommonParameters>]

Remove-AppvClientConnectionGroup [-Name] <String> [<CommonParameters>]

DESCRIPTION

The Remove-AppvClientConnectionGroup cmdlet deletes an existing Microsoft Application Virtualization (App-V) connection group on the client. All packages that were in the group are separated.

PARAMETERS

-ConnectionGroup <AppvClientConnectionGroup>

Specifies an App-V Connection Group object.

-GroupId <Guid>

Specifies the GUID of specific connection group.

-Name <String>

Specifies the name of the App-V Connection Group.

-VersionId <Guid>

Specifies the GUID that differentiates a package version from other versions, whether older, newer, or of a different lineage. If you do not specify this parameter, the cmdlet operates on all versions of the package.

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

----- Example 1: Remove a named connection group -----

```
PS C:\> Remove-AppvClientConnectionGroup -Name "MyGroup"
```

This command removes the connection group named MyGroup from the computer.

----- Example 2: Remove a connection group by using its ID -----

```
PS C:\> Remove-AppvClientConnectionGroup -GroupID  
35ec9e5f-ab21-463f-8fe6-b90d4b66d182
```

This command removes the connection group that has the group ID
35ec9e5f-ab21-463f-8fe6-b90d4b66d182.

Example 3: Remove all connection groups that have names that match a string

```
PS C:\> Get-AppvClientConnectionGroup -Name "MyGr*" |  
Remove-AppvClientConnectionGroup
```

This command finds any connection group that has the string MyGr in the name,
and then removes them from the computer.

REMARKS

To see the examples, type: "get-help Remove-AppvClientConnectionGroup
-examples".

For more information, type: "get-help Remove-AppvClientConnectionGroup
-detailed".

For technical information, type: "get-help Remove-AppvClientConnectionGroup
-full".

For online help, type: "get-help Remove-AppvClientConnectionGroup -online"