



Windows PowerShell Get-Help on Cmdlet 'Remove-AzADAppPermission'

PS:\>Get-HELP Remove-AzADAppPermission -Full

NAME

Remove-AzADAppPermission

SYNOPSIS

Removes an API permission.

SYNTAX

```
Remove-AzADAppPermission -PermissionId <Guid> -ObjectId <Guid> [-Break] [-HttpPipelineAppend
<SendAsyncStep[]>] [-HttpPipelinePrepend <SendAsyncStep[]>] [-Proxy
<Uri>] [-ProxyCredential <PSCredential>] [-ProxyUseDefaultCredentials] [-DefaultProfile <PSObject>] [-WhatIf] [-Confirm]
[<CommonParameters>]
```

```
Remove-AzADAppPermission -PermissionId <Guid> [-Break] [-HttpPipelineAppend <SendAsyncStep[]>]
[-HttpPipelinePrepend <SendAsyncStep[]>] [-Proxy <Uri>]
[-ProxyCredential <PSCredential>] [-ProxyUseDefaultCredentials] -ApplicationId <Guid> [-DefaultProfile <PSObject>]
[-WhatIf] [-Confirm] [<CommonParameters>]
```

DESCRIPTION

Removes an API permission.

PARAMETERS

-PermissionId <Guid>

The unique identifier for one of the oauth2PermissionScopes or appRole instances that the resource application exposes.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ObjectId <Guid>

The unique identifier in Azure AD.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Break [<SwitchParameter>]

Wait for .NET debugger to attach

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelineAppend <SendAsyncStep[]>

SendAsync Pipeline Steps to be appended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelinePrepend <SendAsyncStep[]>

SendAsync Pipeline Steps to be prepended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Proxy <Uri>

The URI for the proxy server to use

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyCredential <PSCredential>

Credentials for a proxy server to use for the remote call

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyUseDefaultCredentials [<SwitchParameter>]

Use the default credentials for the proxy

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-ApplicationId <Guid>

The unique identifier for the application that is assigned by Azure AD.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-DefaultProfile <PSObject>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-WhatIf [<SwitchParameter>]

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

System.Boolean

----- EXAMPLE 1 -----

```
PS C:\>Remove-AzADAppPermission -ObjectId 9cc74d5e-1162-4b90-8696-65f3d6a3f7d0 -PermissionId
5f8c59db-677d-491f-a6b8-5f174b11ec1d
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.resources/remove-azadapppermission>