



**Full credit is given to all the above companies including the Operating System that this PDF file was generated!**

## **Windows PowerShell Get-Help on Cmdlet 'Remove-AzApiManagementAuthorizationServer'**

**PS:\>Get-HELP Remove-AzApiManagementAuthorizationServer -Full**

### **NAME**

Remove-AzApiManagementAuthorizationServer

### **SYNOPSIS**

Removes an authorization server.

### **SYNTAX**

Remove-AzApiManagementAuthorizationServer                   -Context

```
<Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext> [-DefaultProfile  
      <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-PassThru] -ServerId  
<System.String> [-Confirm] [-WhatIf]  
[<CommonParameters>]
```

### **DESCRIPTION**

The Remove-AzApiManagementAuthorizationServer cmdlet removes an Azure API Management authorization server.

### **PARAMETERS**

-Context <Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext>

Specifies a PsApiManagementContext object.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName, ByValue)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

passthru

Required? false

Position? named

Default value False

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ServerId <System.String>

Specifies the ID of the authorization server to remove.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see

about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

## INPUTS

Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext

System.String

System.Management.Automation.SwitchParameter

## OUTPUTS

System.Boolean

## NOTES

----- Example 1: Remove an authorization server -----

```
$apimContext = New-AzApiManagementContext -ResourceGroupName "Api-Default-WestUS" -ServiceName "contoso"  
Remove-AzApiManagementAuthorizationServer -Context $ApimContext -ServerId "authserverid"
```

This command removes the specified API Management Authorization Server.

## RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.apimanagement/remove-azapimanagementauthorizationserver>

[Get-AzApiManagementAuthorizationServer](#)

[New-AzApiManagementAuthorizationServer](#)

[Set-AzApiManagementAuthorizationServer](#)