



Windows PowerShell Get-Help on Cmdlet 'Remove-AzApiManagementGatewayHostnameConfiguration'

PS:\>Get-HELP Remove-AzApiManagementGatewayHostnameConfiguration -Full

NAME

Remove-AzApiManagementGatewayHostnameConfiguration

SYNOPSIS

Removes a hostname configuration from the existing Gateway.

SYNTAX

```

Remove-AzApiManagementGatewayHostnameConfiguration -Context
<Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
-GatewayHostnameConfigurationId <System.String> -GatewayId <System.String>
[-PassThru] [-Confirm] [-WhatIf] [<CommonParameters>]

Remove-AzApiManagementGatewayHostnameConfiguration [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
-InputObject
<Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementGatewayHostnameConfigur
ation> [-PassThru] [-Confirm] [-WhatIf]
[<CommonParameters>]

```

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]

[-PassThru] -ResourceId <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

The Remove-AzApiManagementGatewayHostnameConfiguration cmdlet removes a hostname configuration from the existing Gateway.

PARAMETERS

-Context <Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext>

Instance of PsApiManagementContext. This parameter is required.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName, ByValue)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-GatewayHostnameConfigurationId <System.String>

Identifier of existing gateway hostname configuration. This parameter is required.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-GatewayId <System.String>

Identifier of existing gateway. This parameter is required.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-InputObject

<Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementGatewayHostnameConfiguration>

Instance of PsApiManagementGatewayHostnameConfiguration. This parameter is required.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

If specified will write true in case operation succeeds. This parameter is optional. Default value is false.

Required? false
Position? named
Default value False
Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ResourceId <System.String>

Arm ResourceId of the GatewayHostnameConfiguration. This parameter is required.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see

about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext

System.String

System.Management.Automation.SwitchParameter

OUTPUTS

System.Boolean

NOTES

- Example 1: Remove an existing gateway hostname configuration -

```
$apimContext = New-AzApiManagementContext -ResourceGroupName "Api-Default-WestUS" -ServiceName "contoso"
```

```
Remove-AzApiManagementGatewayHostnameConfiguration -Context $apimContext -GatewayId "g0001"
```

```
-GatewayHostnameConfigurationId "h0001"
```

This command removes an existing gateway hostname configuration and does not prompt the user for confirmation.

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.apimanagement/remove-azapimanagementgatewayhostnameconfiguration>