



Windows PowerShell Get-Help on Cmdlet 'Remove-AzApiManagementIdentityProvider'

PS:\>Get-HELP Remove-AzApiManagementIdentityProvider -Full

NAME

Remove-AzApiManagementIdentityProvider

SYNOPSIS

Removes an existing Identity Provider Configuration.

SYNTAX

```
Remove-AzApiManagementIdentityProvider -Context
<Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-PassThru] -Type
{Facebook | Google | Microsoft | Twitter | Aad | AadB2C}
[-Confirm] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

Removes an existing Identity Provider Configuration.

-Context <Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext>

Instance of PsApiManagementContext. This parameter is required.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName, ByValue)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

Indicates that this cmdlet returns a value of \$True if the operation succeeds or \$False otherwise.

Required? false

Position? named

Default value False

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Type

<Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementIdentityProviderType>

Identifier of an existing Identity Provider. This parameter is required.

Required? true

Position? named

Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext

System.Management.Automation.SwitchParameter

OUTPUTS

System.Boolean

NOTES

Example 1: Removes the Facebook identity provider settings from ApiManagement service

```
$apimContext = New-AzApiManagementContext -ResourceGroupName "Api-Default-WestUS" -ServiceName "contoso"
```

```
Remove-AzApiManagementIdentityProvider -Context $apimContext -Type 'Facebook' -PassThru
```

Deletes configuration related to Facebook Identity provider configuration.

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.apimanagement/remove-azapimanagementidentityprovider>

New-AzApiManagementIdentityProvider

Get-AzApiManagementIdentityProvider

Set-AzApiManagementIdentityProvider

