



Windows PowerShell Get-Help on Cmdlet 'Remove-AzApiManagementLogger'

PS:\>Get-HELP Remove-AzApiManagementLogger -Full

NAME

Remove-AzApiManagementLogger

SYNOPSIS

Removes an API Management Logger.

SYNTAX

```
Remove-AzApiManagementLogger -Context <Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext> [-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -LoggerId <System.String> [-PassThru] [-Confirm] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Remove-AzApiManagementLogger cmdlet removes an Azure API Management Logger .

-Context <Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext>

Specifies a PsApiManagementContext object.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName, ByValue)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-LoggerId <System.String>

Specifies the ID of the logger to remove.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

Indicates that this cmdlet returns a value of \$True if the operation succeeds or \$False otherwise.

Required? false

Position? named

Default value False

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext

System.String

System.Management.Automation.SwitchParameter

OUTPUTS

System.Boolean

NOTES

----- Example 1: Remove a logger -----

```
$apimContext = New-AzApiManagementContext -ResourceGroupName "Api-Default-WestUS" -ServiceName "contoso"  
Remove-AzApiManagementLogger -Context $apimContext -LoggerId "Logger123"
```

This command removes a logger that has the ID Logger123.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.apimanagement/remove-azapimanagementlogger>

Get-AzApiManagementLogger

New-AzApiManagementLogger

Set-AzApiManagementLogger