



Windows PowerShell Get-Help on Cmdlet 'Remove-AzApiManagementOpenIdConnectProvider'

PS:\>Get-HELP Remove-AzApiManagementOpenIdConnectProvider -Full

NAME

Remove-AzApiManagementOpenIdConnectProvider

SYNOPSIS

Removes an OpenID Connect provider.

SYNTAX

```
Remove-AzApiManagementOpenIdConnectProvider -Context
<Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
-OpenIdConnectProviderId <System.String> [-PassThru] [-Confirm] [-WhatIf]
[<CommonParameters>]
```

DESCRIPTION

The Remove-AzApiManagementOpenIdConnectProvider cmdlet removes an OpenID Connect provider for Azure API Management.

PARAMETERS

-Context <Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext>

Specifies a PsApiManagementContext object.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName, ByValue)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-OpenIdConnectProviderId <System.String>

Specifies an ID of the provider that this cmdlet removes.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

Indicates that this cmdlet returns a value of \$True if the operation succeeds or \$False otherwise.

Required? false

Position? named

Default value False
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,
ErrorAction, ErrorVariable, WarningAction, WarningVariable,
OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext

System.Management.Automation.SwitchParameter

OUTPUTS

System.Boolean

NOTES

----- Example 1: Remove a provider -----

```
$apimContext = New-AzApiManagementContext -ResourceGroupName "Api-Default-WestUS" -ServiceName "contoso"
```

```
Remove-AzApiManagementOpenIdConnectProvider -Context $apimContext -OpenIdConnectProviderId "OICProvider01"
```

-PassThru

This command removes a provider that has the ID OICProvider01.

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.apimanagement/remove-azapimanagementopenidconnectprovider>

Get-AzApiManagementOpenIdConnectProvider

New-AzApiManagementOpenIdConnectProvider

Set-AzApiManagementOpenIdConnectProvider

