



Windows PowerShell Get-Help on Cmdlet 'Remove-AzApiManagementOperation'

PS:\>Get-HELP Remove-AzApiManagementOperation -Full

NAME

Remove-AzApiManagementOperation

SYNOPSIS

Removes an existing operation.

SYNTAX

```
Remove-AzApiManagementOperation -ApiId <System.String> [-ApiRevision <System.String>] -Context  
<Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext> [-DefaultProfile  
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -OperationId  
<System.String> [-PassThru] [-Confirm] [-WhatIf]  
    [<CommonParameters>]
```

DESCRIPTION

The Remove-AzApiManagementOperation cmdlet removes an existing operation.

-Apild <System.String>

Specifies the identifier of the API.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ApiRevision <System.String>

Identifier of API Revision. This parameter is optional. If not specified, the operation will be removed from the currently active api revision.

Required? false

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Context <Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext>

Specifies an instance of PsApiManagementContext .

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName, ByValue)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None
Accept pipeline input? False
Accept wildcard characters? false

-OperationId <System.String>

Specifies the identifier of the API operation.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

Indicates that this cmdlet returns a value of \$True if it succeeds, or a value of \$False, otherwise.

Required? false
Position? named
Default value False
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext

System.String

System.Management.Automation.SwitchParameter

OUTPUTS

System.Boolean

NOTES

----- Example 1: Remove an existing API Operation -----

```
$apimContext = New-AzApiManagementContext -ResourceGroupName "Api-Default-WestUS" -ServiceName "contoso"  
Remove-AzApiManagementOperation -Context $apimContext -ApiId "0123456789" -OperationId "9876543210"
```

This command removes an existing API Operation.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.apimanagement/remove-azapimanagementoperation>

[Get-AzApiManagementOperation](#)

[New-AzApiManagementOperation](#)

[Set-AzApiManagementOperation](#)