



Windows PowerShell Get-Help on Cmdlet 'Remove-AzApiManagementPolicy'

PS:\>Get-HELP Remove-AzApiManagementPolicy -Full

NAME

Remove-AzApiManagementPolicy

SYNOPSIS

Removes the API Management policy from a specified scope.

SYNTAX

```

Remove-AzApiManagementPolicy -Apild <System.String> -Context
<Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-PassThru]
[-Confirm] [-WhatIf] [<CommonParameters>]

```

```

Remove-AzApiManagementPolicy -Apild <System.String> -Context
<Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -OperationId
<System.String> [-PassThru] [-Confirm] [-WhatIf]
[<CommonParameters>]

```

```
<Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-PassThru]
-ProductId <System.String> [-Confirm] [-WhatIf]
    [<CommonParameters>]
```

DESCRIPTION

The Remove-AzApiManagementPolicy cmdlet removes the API Management policy from specified scope.

PARAMETERS

-ApiId <System.String>

Specifies the identifier of an existing API. If you specify this parameter, the cmdlet removes the API-scope policy.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Context <Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext>

Specifies the instance of the PsApiManagementContext object.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName, ByValue)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-OperationId <System.String>

Specifies the identifier of an existing operation. If you specify this parameter with the Apild parameter, this cmdlet removes the operation-scope policy.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

Indicates that this cmdlet returns a value of \$True, if it succeeds, or a value of \$False, otherwise.

Required? false
Position? named
Default value False
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-ProductId <System.String>

Specifies the identifier of the existing product. If you specify this parameter, the cmdlet removes the product-scope policy.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext

System.String

OUTPUTS

System.Boolean

NOTES

----- Example 1: Remove the tenant level policy -----

```
$apimContext = New-AzApiManagementContext -ResourceGroupName "Api-Default-WestUS" -ServiceName "contoso"  
Remove-AzApiManagementPolicy -Context $apimContext
```

This command removes tenant level policy from API Management.

----- Example 2: Remove the product-scope policy -----

```
$apimContext = New-AzApiManagementContext -ResourceGroupName "Api-Default-WestUS" -ServiceName "contoso"  
Remove-AzApiManagementPolicy -Context $apimContext -ProductId "0123456789"
```

This command removes product-scope policy from API Management.

----- Example 3: Remove the API-scope policy -----

```
$apimContext = New-AzApiManagementContext -ResourceGroupName "Api-Default-WestUS" -ServiceName "contoso"  
Remove-AzApiManagementPolicy -Context $apimContext -ApiId "9876543210"
```

This command removes API-scope policy from API Management.

----- Example 4: Remove the operation-scope policy -----

```
$apimContext = New-AzApiManagementContext -ResourceGroupName "Api-Default-WestUS" -ServiceName "contoso"  
Remove-AzApiManagementPolicy -Context $apimContext -ApiId "9876543210" -OperationId "777"
```

This command removes operation-scope policy from API Management.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.apimanagement/remove-azapimanagementpolicy>

[Get-AzApiManagementPolicy](#)

[Set-AzApiManagementPolicy](#)