



Windows PowerShell Get-Help on Cmdlet 'Remove-AzApiManagementProduct'

PS:\>Get-HELP Remove-AzApiManagementProduct -Full

NAME

Remove-AzApiManagementProduct

SYNOPSIS

Removes an existing API Management product.

SYNTAX

```
Remove-AzApiManagementProduct -Context
<Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[-DeleteSubscriptions] [-PassThru] -ProductId <System.String> [-Confirm]
[-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Remove-AzApiManagementProduct cmdlet removes an existing API Management product.

-Context <Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext>

Specifies an instance of the PsApiManagementContext object.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName, ByValue)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DeleteSubscriptions <System.Management.Automation.SwitchParameter>

Indicates whether to delete subscriptions to the product. If you do not set this parameter and subscriptions exists, an exception is thrown.

Required? false

Position? named

Default value False

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

Indicates that this cmdlet returns a value of \$True, if it succeeds, or a value of \$False, if it fails.

Required? false

Position? named

Default value False

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ProductId <System.String>

Specifies the identifier of the existing product.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,
OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext

System.String

System.Management.Automation.SwitchParameter

OUTPUTS

System.Boolean

NOTES

- Example 1: Remove an existing product and all subscriptions -

```
$apimContext = New-AzApiManagementContext -ResourceGroupName "Api-Default-WestUS" -ServiceName "contoso"  
Remove-AzApiManagementProduct -Context $apimContext -ProductId "0123456789" -DeleteSubscriptions
```

This command removes an existing product and all subscriptions.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.apimanagement/remove-azapimanagementproduct>

[Get-AzApiManagementProduct](#)

[New-AzApiManagementProduct](#)

[Set-AzApiManagementProduct](#)