



**Full credit is given to all the above companies including the Operating System that this PDF file was generated!**

### ***Windows PowerShell Get-Help on Cmdlet 'Remove-AzApiManagementUser'***

**PS:\>Get-HELP Remove-AzApiManagementUser -Full**

#### **NAME**

Remove-AzApiManagementUser

#### **SYNOPSIS**

Deletes an existing user.

#### **SYNTAX**

```
Remove-AzApiManagementUser           -Context  
<Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext> [-DefaultProfile  
                                     <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]  
[-DeleteSubscriptions] [-PassThru] -UserId <System.String> [-Confirm]  
[-WhatIf] [<CommonParameters>]
```

#### **DESCRIPTION**

The Remove-AzApiManagementUser cmdlet deletes an existing user.

#### **PARAMETERS**

-Context <Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext>

Specifies a PsApiManagementContext object. This parameter is required.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName, ByValue)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DeleteSubscriptions <System.Management.Automation.SwitchParameter>

Indicates whether to delete subscriptions to the product. If this parameter is not specified and a subscription exists, this cmdlet throws an exception. This

parameter is optional.

Required? false

Position? named

Default value False

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

Indicates that this cmdlet returns a value of \$True, if it succeeds, or a value of \$False, otherwise.

Required? false

Page 2/5

Position? named  
Default value False  
Accept pipeline input? True (ByPropertyName)  
Accept wildcard characters? false

-UserId <System.String>

Specifies the ID of the user to remove.

Required? true  
Position? named  
Default value None  
Accept pipeline input? True (ByPropertyName)  
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false  
Position? named  
Default value False  
Accept pipeline input? False  
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false  
Position? named  
Default value False  
Accept pipeline input? False  
Accept wildcard characters? false

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

## INPUTS

Microsoft.Azure.Commands.ApiManagement.ServiceManagement.Models.PsApiManagementContext

System.String

System.Management.Automation.SwitchParameter

## OUTPUTS

System.Boolean

## NOTES

----- Example 1: Delete a user -----

```
$apimContext = New-AzApiManagementContext -ResourceGroupName "Api-Default-WestUS" -ServiceName "contoso"  
Remove-AzApiManagementUser -Context $apimContext -UserId "0123456789"
```

This command deletes an existing user.

## RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.apimanagement/remove-azapimanagementuser>

[Get-AzApiManagementUser](#)

[New-AzApiManagementUser](#)

[Set-AzApiManagementUser](#)