



Windows PowerShell Get-Help on Cmdlet 'Remove-AzApplicationGatewayAuthenticationCertificate'

PS: \>Get-HELP Remove-AzApplicationGatewayAuthenticationCertificate -Full

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

NAME

Remove-AzApplicationGatewayAuthenticationCertificate

SYNOPSIS

Removes an authentication certificate from an application gateway.

SYNTAX

```
Remove-AzApplicationGatewayAuthenticationCertificate -ApplicationGateway
<Microsoft.Azure.Commands.Network.Models.PSApplicationGateway> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Name
<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Remove-AzApplicationGatewayAuthenticationCertificate cmdlet removes an authentication certificate from an Azure

application gateway.

PARAMETERS

-ApplicationGateway <Microsoft.Azure.Commands.Network.Models.PSApplicationGateway>

Specifies the name of application gateway from which this cmdlet removes an authentication certificate.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

Specifies the name of the authentication certificate that this cmdlet removes.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.Network.Models.PSApplicationGateway

OUTPUTS

Microsoft.Azure.Commands.Network.Models.PSApplicationGateway

* Keywords: azure, azurearm, arm, resource, management, manager, network, networking

Example 1: Remove an authentication certificate from an application gateway

```
$appgw = Get-AzApplicationGateway -ResourceGroupName "rg" -Name "appGwName"
```

```
$appgw = Remove-AzApplicationGatewayAuthenticationCertificate -ApplicationGateway $appgw -Name "cert01"
```

```
$appgw = Set-AzApplicationGateway -ApplicationGateway $appgw
```

The first command gets the application gateway named appGwName and stores the result in the \$appgw variable. The second command removes the authentication certificate

named cert01 from the application gateway. The third command updates the application gateway.

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.network/remove-azapplicationgatewayauthenticationcertificate>

Add-AzApplicationGatewayAuthenticationCertificate

Get-AzApplicationGatewayAuthenticationCertificate

New-AzApplicationGatewayAuthenticationCertificate

Set-AzApplicationGatewayAuthenticationCertificate