

Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Remove-AzApplicationGatewayBackendHttpSetting'

PS:\>Get-HELP Remove-AzApplicationGatewayBackendHttpSetting -Full

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

NAME

Remove-AzApplicationGatewayBackendHttpSetting

SYNOPSIS

Removes back-end HTTP settings from an application gateway.

SYNTAX

Remove-AzApplicationGatewayBackendHttpSetting

-ApplicationGateway

<Microsoft.Azure.Commands.Network.Models.PSApplicationGateway> [-DefaultProfile

 $< Microsoft. Azure. Commands. Common. Authentication. Abstractions. Core. I Azure Context Container>] \\ -Name \\ -Nam$

<System.String> [<CommonParameters>]

DESCRIPTION

The Remove-AzApplicationGatewayBackendHttpSetting cmdlet removes back-end Hypertext Transfer ProtoRepteH174P)

	settinas	from	an	Azure	ap	plication	gateway	v.
--	----------	------	----	-------	----	-----------	---------	----

PARAMETERS

-ApplicationGateway < Microsoft. Azure. Commands. Network. Models. PSApplicationGateway >

Specifies the application gateway from which this cmdlet removes back-end HTTP settings.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-DefaultProfile < Microsoft. Azure. Commands. Common. Authentication. Abstractions. Core. I Azure Context Container >

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

Specifies the name of the back-end HTTP settings that this cmdlet removes.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

ErrorAction, ErrorVariable, WarningAction, WarningVariable,
OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (https:/go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

Microsoft.Azure.Commands.Network.Models.PSApplicationGateway

OUTPUTS

Microsoft.Azure.Commands.Network.Models.PSApplicationGateway

NOTES

Example 1: Remove back-end HTTP settings from an application gateway

\$AppGw = Get-AzApplicationGateway -Name "ApplicationGateway01" -ResourceGroupName "ResourceGroup01"
Remove-AzApplicationGatewayBackendHttpSetting -ApplicationGateway \$AppGw -Name "BackEndSetting02"
Set-AzApplicationGateway -ApplicationGateway \$AppGW

The first command gets an application gateway named ApplicationGateway01 that belongs to the resource group named ResourceGroup01 and stores it in the \$AppGw

variable. The second command removes the back-end HTTP setting named BackEndSetting02 from the application gateway stored in \$AppGw. Finally, the third command updates the application gateway.

RELATED LINKS

Online Version:

https://learn.microsoft.com/powershell/module/az.network/remove-azapplicationgatewaybackendhttpsetting

Add-AzApplicationGatewayBackendHttpSetting

New-AzApplicationGatewayBackendHttpSetting

Get-AzApplicationGatewayBackendHttpSetting

Set-AzApplicationGatewayBackendHttpSetting