



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Remove-AzApplicationGatewayClientAuthConfiguration'

PS:\>Get-HELP Remove-AzApplicationGatewayClientAuthConfiguration -Full

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

NAME

Remove-AzApplicationGatewayClientAuthConfiguration

SYNOPSIS

Removes the client authentication configuration of a SSL profile object.

SYNTAX

Remove-AzApplicationGatewayClientAuthConfiguration [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]

-SslProfile <Microsoft.Azure.Commands.Network.Models.PSApplicationGatewaySslProfile> [<CommonParameters>]

DESCRIPTION

The Remove-AzApplicationGatewayClientAuthConfiguration cmdlet removes the client authentication configuration of a SSL profile object.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-SslProfile <Microsoft.Azure.Commands.Network.Models.PSApplicationGatewaySslProfile>

The ssl profile

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see

about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.Network.Models.PSApplicationGatewaySslProfile

OUTPUTS

NOTES

----- Example 1 -----

```
$AppGw = Get-AzApplicationGateway -Name "ApplicationGateway01" -ResourceGroupName "ResourceGroup01"  
$profile = Get-AzApplicationGatewaySslProfile -Name "Profile01" -ApplicationGateway $AppGw  
Remove-AzApplicationGatewayClientAuthConfiguration -SslProfile $profile  
Set-AzApplicationGateway -ApplicationGateway $AppGW
```

The first command gets the application gateway named ApplicationGateway01 in the resource group named ResourceGroup01 and stores it in the \$AppGw variable. The second command gets the SSL profile named Profile01 for \$AppGw and stores it in the \$profile variable. The next command removes the client authentication configuration of the ssl profile stored in \$profile. The last command updates the application gateway.

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.network/remove-azapplicationgatewayclientauthconfiguration>

New-AzApplicationGatewayClientAuthConfiguration

Get-AzApplicationGatewayClientAuthConfiguration

Set-AzApplicationGatewayClientAuthConfiguration