



## ***Windows PowerShell Get-Help on Cmdlet 'Remove-AzApplicationGatewayConnectionDraining'***

***PS:\>Get-HELP Remove-AzApplicationGatewayConnectionDraining -Full***

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

### **NAME**

Remove-AzApplicationGatewayConnectionDraining

### **SYNOPSIS**

Removes the connection draining configuration of a back-end HTTP settings object.

### **SYNTAX**

Remove-AzApplicationGatewayConnectionDraining -BackendHttpSettings

<Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayBackendHttpSettings> [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]

[<CommonParameters>]

### **DESCRIPTION**

The Remove-AzApplicationGatewayConnectionDraining cmdlet removes the connection draining configuration of a

back-end HTTP settings object.

## PARAMETERS

-BackendHttpSettings <Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayBackendHttpSettings>

The backend http settings

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see

about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

## INPUTS

Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayBackendHttpSettings

## OUTPUTS

Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayBackendHttpSettings

## NOTES

----- Example 1 -----

```
$AppGw = Get-AzApplicationGateway -Name "ApplicationGateway01" -ResourceGroupName "ResourceGroup01"
$Settings = Get-AzApplicationGatewayBackendHttpSetting -Name "Settings01" -ApplicationGateway $AppGw
Remove-AzApplicationGatewayConnectionDraining -BackendHttpSettings $Settings
Set-AzApplicationGateway -ApplicationGateway $AppGW
```

The first command gets the application gateway named ApplicationGateway01 in the resource group named ResourceGroup01 and stores it in the \$AppGw variable. The second command gets the back-end HTTP settings named Settings01 for \$AppGw and stores the settings in the \$Settings variable. The third command removes the connection draining configuration of the back-end HTTP settings stored in \$Settings. And, the last command updates the application gateway.

## RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.network/remove-azapplicationgatewayconnectiondraining>

Get-AzApplicationGateway

Get-AzApplicationGatewayBackendHttpSetting

Get-AzApplicationGatewayConnectionDraining

New-AzApplicationGatewayConnectionDraining

