



## ***Windows PowerShell Get-Help on Cmdlet 'Remove-AzApplicationGatewayHttpListener'***

***PS: \>Get-HELP Remove-AzApplicationGatewayHttpListener -Full***

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

### NAME

Remove-AzApplicationGatewayHttpListener

### SYNOPSIS

Removes an HTTP listener from an application gateway.

### SYNTAX

```
Remove-AzApplicationGatewayHttpListener -ApplicationGateway
<Microsoft.Azure.Commands.Network.Models.PSApplicationGateway> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Name
<System.String> [<CommonParameters>]
```

### DESCRIPTION

The Remove-AzApplicationGatewayHttpListener cmdlet removes an HTTP listener from an Azure application gateway.

## PARAMETERS

-ApplicationGateway <Microsoft.Azure.Commands.Network.Models.PSApplicationGateway>

Specifies the application gateway from which to remove an HTTP listener.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

Specifies the name of the HTTP listener that this cmdlet removes.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see [about\\_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

## INPUTS

Microsoft.Azure.Commands.Network.Models.PSApplicationGateway

## OUTPUTS

Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayHttpListener

## NOTES

---- Example 1: Remove an application gateway HTTP listener ----

```
$AppGw = Get-AzApplicationGateway -Name "ApplicationGateway01" -ResourceGroupName "ResourceGroup01"
Remove-AzApplicationGatewayHttpListener -ApplicationGateway $AppGw -Name "Listener02"
Set-AzApplicationGateway -ApplicationGateway $AppGW
```

The first command gets an application gateway and stores it in the \$AppGw variable. The second command removes the HTTP listener named Listener02 from the application gateway stored in \$AppGw. The last command updates the application gateway.

## RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.network/remove-azapplicationgatewayhttplistener>

Add-AzApplicationGatewayHttpListener

Get-AzApplicationGatewayHttpListener

New-AzApplicationGatewayHttpListener

Set-AzApplicationGatewayHttpListener