



Windows PowerShell Get-Help on Cmdlet 'Remove-AzApplicationGatewayHttpListenerCustomError'

PS:\>Get-HELP Remove-AzApplicationGatewayHttpListenerCustomError -Full

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

NAME

Remove-AzApplicationGatewayHttpListenerCustomError

SYNOPSIS

Removes a custom error from a http listener of an application gateway.

SYNTAX

```
Remove-AzApplicationGatewayHttpListenerCustomError [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
-HttpListener <Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayHttpListener> -StatusCode
<System.String> [<CommonParameters>]
```

DESCRIPTION

The Remove-AzApplicationGatewayHttpListenerCustomError cmdlet removes a custom error from a http listener of an

application gateway.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-HttpListener <Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayHttpListener>

The Application Gateway Http Listener

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-StatusCode <System.String>

Status code of the application gateway customer error.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,
OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayHttpListener

OUTPUTS

Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayCustomError

NOTES

----- Example 1: Removes custom error from a http listener -----

```
Remove-AzApplicationGatewayHttpListenerCustomError -HttpListener $listener01 -StatusCode HttpStatus502
```

This command removes the custom error of http status code 502 from the http listener \$listener01, and return the updated listener.

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.network/remove-azapplicationgatewayhttplistenercustomerror>

Add-AzApplicationGatewayHttpListenerCustomError

Get-AzApplicationGatewayHttpListenerCustomError

